

## HYDROTEK PRODUCTS &amp; PARTS

**AC POWERED FAUCETS** **LIST EA.****FAUCETS (AC POWERED)**

|            |                                                               |        |
|------------|---------------------------------------------------------------|--------|
| H-2603C    | Lavatory Faucet, Non-mixing                                   | 398.98 |
| H-3000C    | Lavatory Faucet, Mixing & Manual On/Off                       | 568.68 |
| H-4000C    | Gooseneck Faucet, Mixing & Manual On/Off                      | 558.68 |
| H-4000C-SD | Gooseneck Faucet, Mixing & Manual On/Off (Scrub Sink Version) | 598.68 |
| H-5000E    | Lavatory Faucet, Above-Deck Components, Non-mixing            | 378.92 |
| H-6000C    | Gooseneck Faucet, Deck Mount, Non-mixing                      | 439.68 |
| H-6700C    | Gooseneck Faucet, Wall Mount, Non-mixing                      | 449.67 |

**FAUCETS (AC POWERED WITH DC BACKUP)**

|               |                                                        |        |
|---------------|--------------------------------------------------------|--------|
| H-2603C-DC    | Lavatory Faucet, Non-mixing, w/ DC Backup              | 430.48 |
| H-3000C-DC    | Lavatory Faucet, Mixing & Manual On/Off, w/ DC Backup  | 588.68 |
| H-4000C-DC    | Gooseneck Faucet, Mixing & Manual On/Off, w/ DC Backup | 578.68 |
| H-4000C-SD-DC | Gooseneck Faucet, w/ DC Backup (Scrub Sink Version)    | 609.68 |
| H-6000C-DC    | Gooseneck Faucet, Deck Mount, Non-mixing, w/ DC Backup | 469.68 |
| H-6700C-DC    | Gooseneck Faucet, Wall Mount, Non-mixing, w/ DC Backup | 479.67 |

**LOW-LEAD FAUCETS (AC POWERED)**

|               |                                                              |        |
|---------------|--------------------------------------------------------------|--------|
| H-1000C-LR    | Low Lead Lavatory Faucet, 4" Center-Set, Non-mixing          | 457.26 |
| H-2603C-LR    | Low Lead Lavatory Faucet, Non-mixing                         | 430.90 |
| H-4000C-LR    | Low Lead Gooseneck Faucet, Mixing & Manual On/Off            | 603.68 |
| H-4000C-SD-LR | Low Lead Gooseneck Faucet (Scrub Sink Version)               | 623.68 |
| H-4100C-LR    | Low Lead Gooseneck Faucet, Ceramic Mixing & Manual On/Off    | 471.37 |
| H-5000E-LR    | Low Lead Lavatory Faucet, Above-Deck Components, Non-mixing  | 409.24 |
| H-5000EM-LR   | Low Lead Lavatory Faucet, Above-Deck, Mixing & Manual On/Off | 457.43 |
| H-6000C-LR    | Low Lead Gooseneck Faucet, Deck Mount, Non-mixing            | 474.85 |
| H-6700C-LR    | Low Lead Gooseneck Faucet, Wall Mount, Non-mixing            | 485.64 |
| H-7000E-LR    | Low Lead Lavatory Faucet, Above-Deck Components, Non-mixing  | 401.19 |
| H-7000EM-LR   | Low Lead Lavatory Faucet, Above-Deck, Mixing & Manual On/Off | 453.82 |

**LOW-LEAD FAUCETS (AC POWERED WITH DC BACKUP)**

|                 |                                                               |        |
|-----------------|---------------------------------------------------------------|--------|
| H-1000C-LRDC    | Low Lead Lav. Faucet, 4" Center-Set, Non-mixing, w/ DC Backup | 470.25 |
| H-2603C-LRDC    | Low Lead Lav. Faucet, Non-mixing, w/ DC Backup                | 444.90 |
| H-4000C-LRDC    | Low Lead Gsnk Faucet, Mixing & Manual On/Off, w/ DC Backup    | 613.68 |
| H-4000C-SD-LRDC | Low Lead Gsnk Faucet, w/ DC Backup (Scrub Sink Version)       | 633.68 |
| H-6000C-LRDC    | Low Lead Gsnk Faucet, Deck Mount, Non-mixing, w/ DC Backup    | 488.20 |
| H-6700C-LRDC    | Low Lead Gsnk Faucet, Wall Mount, Non-mixing, w/ DC Backup    | 499.64 |

**AC POWERED FLUSH VALVES** **LIST EA.****EXPOSED FLUSH VALVES (AC POWERED)**

|            |                                             |        |
|------------|---------------------------------------------|--------|
| H-8000C-A  | 1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud | 466.52 |
| H-8000C-B1 | 1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud | 466.52 |
| H-8000C-B2 | 1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud | 466.52 |

**EXPOSED FLUSH VALVES (AC POWERED WITH DC BACKUP)**

|              |                                                           |        |
|--------------|-----------------------------------------------------------|--------|
| H-8000C-ADC  | 1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud, w/ DC Backup | 498.02 |
| H-8000C-B1DC | 1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud, w/ DC Backup | 498.02 |
| H-8000C-B2DC | 1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud, w/ DC Backup | 498.02 |

**EXPOSED FLUSH VALVES (AC POWERED) - "WATER CONSERVATION MODELS"**

|            |                                                                      |        |
|------------|----------------------------------------------------------------------|--------|
| H8-16DF    | 1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud       | 503.83 |
| H8-128DF   | 1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud      | 503.83 |
| H8-128     | 1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud                         | 466.52 |
| H8-B1-05   | 0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud                          | 466.52 |
| H8-B1-0125 | 0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud | 466.52 |
| H8-B1-025  | 0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud  | 466.52 |
| H8-B1-0375 | 0.375 GPF (3/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud | 466.52 |
| H8-B2-05   | 0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud                          | 466.52 |

**EXPOSED FLUSH VALVES (AC POWERED WITH DC BACKUP) - "WATER CONSERVATION MODELS"**

|              |                                                                      |        |
|--------------|----------------------------------------------------------------------|--------|
| H8-16-DFDC   | 1.6 / 1.0 GPF "Dual Flush" Closet, 1" and 1-1/2", w/ DC Backup       | 535.33 |
| H8-128-DFDC  | 1.28 / 1.0 GPF "Dual Flush" Closet, 1" and 1-1/2", w/ DC Backup      | 535.33 |
| H8-128-DC    | 1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud, w/ DC Backup           | 498.02 |
| H8-B1-05DC   | 0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud, w/ DC Backup            | 498.02 |
| H8-B1-0125DC | 0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" and 3/4", w/ DC Backup | 498.02 |
| H8-B2-05DC   | 0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud, w/ DC Backup            | 498.02 |

**CONCEALED FLUSH VALVES (AC POWERED)**

|                  |                                              |        |
|------------------|----------------------------------------------|--------|
| <b>BACK SPUD</b> |                                              |        |
| H-8000C-CB       | 1.6 GPF Closet, 1" Stop and 1-1/2" Back Spud | 439.71 |
| H-8000C-D1B      | 1.0 GPF Urinal, 3/4" Stop and 3/4" Back Spud | 439.71 |
| H-8000C-D2B      | 1.0 GPF Urinal, 1" Stop and 1-1/4" Back Spud | 439.71 |
| <b>TOP SPUD</b>  |                                              |        |
| H-8000C-CT       | 1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud  | 524.79 |
| H-8000C-D1T      | 1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud  | 524.79 |

## HYDROTEK PRODUCTS &amp; PARTS

|             |                                             |        |
|-------------|---------------------------------------------|--------|
| H-8000C-D2T | 1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud | 524.79 |
|-------------|---------------------------------------------|--------|

**CONCEALED FLUSH VALVES (AC POWERED WITH DC BACKUP)**

|                  |                                                            |        |
|------------------|------------------------------------------------------------|--------|
| <b>BACK SPUD</b> |                                                            |        |
| H-8000C-CBDC     | 1.6 GPF Closet, 1" Stop and 1-1/2" Back Spud, w/ DC Backup | 471.21 |
| H-8000C-D1BDC    | 1.0 GPF Urinal, 3/4" Stop and 3/4" Back Spud, w/ DC Backup | 471.21 |
| H-8000C-D2BDC    | 1.0 GPF Urinal, 1" Stop and 1-1/4" Back Spud, w/ DC Backup | 471.21 |
| <b>TOP SPUD</b>  |                                                            |        |
| H-8000C-CTDC     | 1.6 GPF Closet, 1" Stop and 1-1/2" Back Spud, w/ DC Backup | 556.29 |
| H-8000C-D1TDC    | 1.0 GPF Urinal, 3/4" Stop and 3/4" Back Spud, w/ DC Backup | 556.29 |
| H-8000C-D2TDC    | 1.0 GPF Urinal, 1" Stop and 1-1/4" Back Spud, w/ DC Backup | 556.29 |

**CONCEALED FLUSH VALVES (AC POWERED) - "WATER CONSERVATION MODELS"**

|                  |                                                                       |        |
|------------------|-----------------------------------------------------------------------|--------|
| <b>BACK SPUD</b> |                                                                       |        |
| H8CB-16DF        | 1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Back Spud       | 474.21 |
| H8CB-128DF       | 1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Back Spud      | 474.21 |
| H8CB-128         | 1.28 GPF Closet, 1" Stop and 1-1/2" Back Spud                         | 439.71 |
| H8D1B-05         | 0.5 GPF Urinal, 3/4" Stop and 3/4" Back Spud                          | 439.71 |
| H8D1B-025        | 0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud  | 439.71 |
| H8D1B-0125       | 0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud | 439.71 |
| H8D2B-05         | 0.5 GPF Urinal, 1" Stop and 1-1/4" Back Spud                          | 439.71 |
| H8D2B-025        | 0.25 GPF (1/4 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud  | 439.71 |
| H8D2B-0125       | 0.125 GPF (1/8 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud | 439.71 |
| <b>TOP SPUD</b>  |                                                                       |        |
| H8CT-16DF        | 1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud        | 566.77 |
| H8CT-128DF       | 1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud       | 566.77 |
| H8CT-128         | 1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud                          | 524.79 |
| H8D1T-05         | 0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud                           | 524.79 |
| H8D1T-025        | 0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud  | 524.79 |
| H8D1T-0125       | 0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud | 524.79 |
| H8D2T-05         | 0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud                           | 524.79 |
| H8D2T-025        | 0.25 GPF (1/4 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud  | 524.79 |
| H8D2T-0125       | 0.125 GPF (1/8 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud | 524.79 |

**CONCEALED FLUSH VALVES (AC POWERED WITH DC BACKUP) - "WATER CONSERVATION MODELS"**

|                  |                                                                 |        |
|------------------|-----------------------------------------------------------------|--------|
| <b>BACK SPUD</b> |                                                                 |        |
| H8CB-16-DFDC     | 1.6 / 1.0 GPF "Dual Flush" Closet, 1" and 1-1/2", w/ DC Backup  | 506.38 |
| H8CB-128-DFDC    | 1.28 / 1.0 GPF "Dual Flush" Closet, 1" and 1-1/2", w/ DC Backup | 506.38 |
| H8CB-128-DC      | 1.28 GPF Closet, 1" Stop and 1-1/2" Back Spud, w/ DC Backup     | 471.21 |
| H8D1B-05-DC      | 0.5 GPF Urinal, 3/4" Stop and 3/4" Back Spud, w/ DC Backup      | 471.21 |
| H8D2B-05-DC      | 0.5 GPF Urinal, 1" Stop and 1-1/4" Back Spud, w/ DC Backup      | 471.21 |
| <b>TOP SPUD</b>  |                                                                 |        |
| H8CT-16-DFDC     | 1.6 / 1.0 GPF "Dual Flush" Closet, 1" and 1-1/2", w/ DC Backup  | 598.27 |
| H8CT-128-DFDC    | 1.28 / 1.0 GPF "Dual Flush" Closet, 1" and 1-1/2", w/ DC Backup | 598.27 |
| H8CT-128-DC      | 1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud, w/ DC Backup      | 556.29 |
| H8D1T-05-DC      | 0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud, w/ DC Backup       | 556.29 |
| H8D2T-05-DC      | 0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud, w/ DC Backup       | 556.29 |

**CONCEALED FLUSH VALVES (AC POWERED) - WITH 13" X 17" WALL BOX AND S.S. ACCESS PANEL**

|                  |                                                             |        |
|------------------|-------------------------------------------------------------|--------|
| <b>BACK SPUD</b> |                                                             |        |
| H-8000C-CB-WB    | 1.6 GPF Closet, 1" Stop and 1-1/2" Back Spud, with Wall Box | 702.12 |
| H-8000C-D1B-WB   | 1.0 GPF Urinal, 3/4" Stop and 3/4" Back Spud, with Wall Box | 702.12 |
| H-8000C-D2B-WB   | 1.0 GPF Urinal, 1" Stop and 1-1/4" Back Spud, with Wall Box | 702.12 |
| <b>TOP SPUD</b>  |                                                             |        |
| H-8000C-CT-WB    | 1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud, with Wall Box  | 786.95 |
| H-8000C-D1T-WB   | 1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud, with Wall Box  | 786.95 |
| H-8000C-D2T-WB   | 1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud, with Wall Box  | 786.95 |

**CONCEALED FLUSH VALVES (AC POWERED WITH DC BACKUP) - WITH 13" X 17" WALL BOX AND S.S. ACCESS PANEL**

|                  |                                                            |        |
|------------------|------------------------------------------------------------|--------|
| <b>BACK SPUD</b> |                                                            |        |
| H-8000C-CBWBDC   | 1.6 GPF Closet, 1" and 1-1/2", with DC Backup and Wall Box | 733.62 |
| H-8000C-D1BWBDC  | 1.0 GPF Urinal, 3/4" and 3/4", with DC Backup and Wall Box | 733.62 |
| H-8000C-D2BWBDC  | 1.0 GPF Urinal, 1" and 1-1/4", with DC Backup and Wall Box | 733.62 |
| <b>TOP SPUD</b>  |                                                            |        |
| H-8000C-CTWBDC   | 1.6 GPF Closet, 1" and 1-1/2", with DC Backup and Wall Box | 818.45 |
| H-8000C-D1TWBDC  | 1.0 GPF Urinal, 3/4" and 3/4", with DC Backup and Wall Box | 818.45 |
| H-8000C-D2TWBDC  | 1.0 GPF Urinal, 1" and 1-1/4", with DC Backup and Wall Box | 818.45 |

**AC POWERED RETROFIT FLUSH VALVES****LIST EA.****CONCEALED RETROFIT FLUSH VALVES (AC POWERED)**

|                  |                                   |        |
|------------------|-----------------------------------|--------|
| H8RFKC-Concealed | Concealed Retrofit FV (Body Only) | 227.74 |
|------------------|-----------------------------------|--------|

**EXPOSED RETROFIT FLUSH VALVES (AC POWERED)**

|           |                                                 |        |
|-----------|-------------------------------------------------|--------|
| H8RFKC-C  | 1.6 GPF Closet (Retrofit Sloan, Toto, and Zurn) | 365.14 |
| H8RFKC-U  | 1.0 GPF Urinal (Retrofit Sloan, Toto, and Zurn) | 365.14 |
| H8RFKC-CD | 1.6 GPF Closet (Retrofit Delany)                | 365.14 |
| H8RFKC-UD | 1.0 GPF Urinal (Retrofit Delany)                | 365.14 |

|                           |                 |
|---------------------------|-----------------|
| <b>AC POWERED SHOWERS</b> | <b>LIST EA.</b> |
|---------------------------|-----------------|

|                                      |  |  |
|--------------------------------------|--|--|
| <b>AUTOMATIC SHOWER (AC POWERED)</b> |  |  |
|--------------------------------------|--|--|

|          |                  |        |
|----------|------------------|--------|
| HB-9000C | Automatic Shower | 418.89 |
|----------|------------------|--------|

|                                                     |  |  |
|-----------------------------------------------------|--|--|
| <b>AUTOMATIC SHOWER (AC POWERED WITH DC BACKUP)</b> |  |  |
|-----------------------------------------------------|--|--|

|             |                               |        |
|-------------|-------------------------------|--------|
| HB-9000C-DC | Automatic Shower w/ DC Backup | 450.39 |
|-------------|-------------------------------|--------|

|                                            |                 |
|--------------------------------------------|-----------------|
| <b>BATTERY &amp; SOLAR POWERED FAUCETS</b> | <b>LIST EA.</b> |
|--------------------------------------------|-----------------|

|                                  |  |  |
|----------------------------------|--|--|
| <b>FAUCETS (BATTERY POWERED)</b> |  |  |
|----------------------------------|--|--|

|             |                                                               |        |
|-------------|---------------------------------------------------------------|--------|
| HB-2603C    | Lavatory Faucet, Non-mixing                                   | 398.98 |
| HB-3000C    | Lavatory Faucet, Mixing & Manual On/Off                       | 568.68 |
| HB-4000C    | Gooseneck Faucet, Mixing & Manual On/Off                      | 558.86 |
| HB-4000C-SD | Gooseneck Faucet, Mixing & Manual On/Off (Scrub Sink Version) | 598.68 |
| HB-5000E    | Lavatory Faucet, Above-Deck Components, Non-mixing            | 378.92 |
| HB-6000C    | Gooseneck Faucet, Deck Mount, Non-mixing                      | 439.68 |
| HB-6700C    | Gooseneck Faucet, Wall Mount, Non-mixing                      | 449.67 |

|                                                       |  |  |
|-------------------------------------------------------|--|--|
| <b>LOW-LEAD FAUCETS (BATTERY &amp; SOLAR POWERED)</b> |  |  |
|-------------------------------------------------------|--|--|

|                |                                                                    |        |
|----------------|--------------------------------------------------------------------|--------|
| HB-1000C-LR    | Low Lead Lavatory Faucet, 4" Center-Set, Non-mixing                | 457.26 |
| HB-2603C-LR    | Low Lead Lavatory Faucet, Non-mixing                               | 430.38 |
| HB-4000C-LR    | Low Lead Gooseneck Faucet, Mixing & Manual On/Off                  | 603.68 |
| HB-4000C-SD-LR | Low Lead Gooseneck Faucet (Scrub Sink Version)                     | 623.68 |
| HB-4100C-LR    | Low Lead Gooseneck Faucet, Ceramic Mixing & Manual On/Off          | 471.37 |
| HB-5000E-LR    | Low Lead Lavatory Faucet, Above Deck, Non-mixing                   | 409.24 |
| HB-5000EM-LR   | Low Lead Lavatory Faucet, Above Deck, Mixing & Manual On/Off       | 457.43 |
| HB-6000C-LR    | Low Lead Gooseneck Faucet, Deck Mount, Non-mixing                  | 474.85 |
| HB-6700C-LR    | Low Lead Gooseneck Faucet, Wall Mount, Non-mixing                  | 485.64 |
| HB-7000E-LR    | Low Lead Lavatory Faucet, Above-Deck, Non-mixing                   | 401.19 |
| HB-7000EM-LR   | Low Lead Lavatory Faucet, Above Deck, Mixing & Manual On/Off       | 453.82 |
| HB-7000SLE-LR  | Low Lead Solar Lavatory Faucet, Above-Deck, Non-mixing             | 471.68 |
| HB-7000SLEM-LR | Low Lead Solar Lavatory Faucet, Above-Deck, Mixing & Manual On/Off | 485.68 |

|                                                 |                 |
|-------------------------------------------------|-----------------|
| <b>BATTERY &amp; SOLAR POWERED FLUSH VALVES</b> | <b>LIST EA.</b> |
|-------------------------------------------------|-----------------|

|                                               |  |  |
|-----------------------------------------------|--|--|
| <b>EXPOSED FLUSH VALVES (BATTERY POWERED)</b> |  |  |
|-----------------------------------------------|--|--|

|             |                                             |        |
|-------------|---------------------------------------------|--------|
| HB-8000C-A  | 1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud | 439.09 |
| HB-8000C-B1 | 1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud | 439.09 |
| HB-8000C-B2 | 1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud | 439.09 |

|                                                            |  |  |
|------------------------------------------------------------|--|--|
| <b>EXPOSED FLUSH VALVES (SOLAR POWERED WITH DC BACKUP)</b> |  |  |
|------------------------------------------------------------|--|--|

|               |                                             |        |
|---------------|---------------------------------------------|--------|
| HB-8000SLE-A  | 1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud | 474.21 |
| HB-8000SLE-B1 | 1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud | 474.21 |
| HB-8000SLE-B2 | 1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud | 474.21 |

|                                                                             |  |  |
|-----------------------------------------------------------------------------|--|--|
| <b>EXPOSED FLUSH VALVES (BATTERY POWERED) - "WATER CONSERVATION MODELS"</b> |  |  |
|-----------------------------------------------------------------------------|--|--|

|             |                                                                      |        |
|-------------|----------------------------------------------------------------------|--------|
| HB8-16DF    | 1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud       | 474.21 |
| HB8-128DF   | 1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud      | 474.21 |
| HB8-128     | 1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud                         | 439.09 |
| HB8-B1-05   | 0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud                          | 439.09 |
| HB8-B1-0375 | 0.375 GPF (3/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud | 474.21 |
| HB8-B1-025  | 0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud  | 474.21 |
| HB8-B1-0125 | 0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud | 474.21 |
| HB8-B2-05   | 0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud                          | 439.09 |

|                                                                                         |  |  |
|-----------------------------------------------------------------------------------------|--|--|
| <b>EXPOSED FLUSH VALVES (SOLAR POWERED WITH DC BACKUP) - "WATER CONSERVATION MODEL"</b> |  |  |
|-----------------------------------------------------------------------------------------|--|--|

|                |                                                                      |        |
|----------------|----------------------------------------------------------------------|--------|
| HB8SLE-16DF    | 1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud       | 474.21 |
| HB8SLE-128DF   | 1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud      | 474.21 |
| HB8SLE-128     | 1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud                         | 474.21 |
| HB8SLE-B1-05   | 0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud                          | 474.21 |
| HB8SLE-B1-025  | 0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud  | 474.21 |
| HB8SLE-B1-0125 | 0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud | 474.21 |
| HB8SLE-B2-05   | 0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud                          | 474.21 |

|                                                 |  |  |
|-------------------------------------------------|--|--|
| <b>CONCEALED FLUSH VALVES (BATTERY POWERED)</b> |  |  |
|-------------------------------------------------|--|--|

|                  |                                              |        |
|------------------|----------------------------------------------|--------|
| <b>BACK SPUD</b> |                                              |        |
| HB-8000C-CB      | 1.6 GPF Closet, 1" Stop and 1-1/2" Back Spud | 439.09 |
| HB-8000C-D1B     | 1.0 GPF Urinal, 3/4" Stop and 3/4" Back Spud | 439.09 |
| HB-8000C-D2B     | 1.0 GPF Urinal, 1" Stop and 1-1/4" Back Spud | 439.09 |
| <b>TOP SPUD</b>  |                                              |        |
| HB-8000C-CT      | 1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud  | 534.50 |
| HB-8000C-D1T     | 1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud  | 534.50 |
| HB-8000C-D2T     | 1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud  | 534.50 |

|                                                                               |  |  |
|-------------------------------------------------------------------------------|--|--|
| <b>CONCEALED FLUSH VALVES (BATTERY POWERED) - "WATER CONSERVATION MODELS"</b> |  |  |
|-------------------------------------------------------------------------------|--|--|

## HYDROTEK PRODUCTS &amp; PARTS

| <b>BACK SPUD</b> |                                                                       |        |
|------------------|-----------------------------------------------------------------------|--------|
| HB8CB-16DF       | 1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Back Spud       | 474.21 |
| HB8CB-128DF      | 1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Back Spud      | 474.21 |
| HB8CB-128        | 1.28 GPF Closet, 1" Stop and 1-1/2" Back Spud                         | 439.09 |
| HB8D1B-05        | 0.5 GPF Urinal, 3/4" Stop and 3/4" Back Spud                          | 439.09 |
| HB8D1B-025       | 0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud  | 474.21 |
| HB8D1B-0125      | 0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud | 474.21 |
| HB8D2B-05        | 0.5 GPF Urinal, 1" Stop and 1-1/4" Back Spud                          | 439.09 |
| HB8D2B-025       | 0.25 GPF (1/4 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud  | 474.21 |
| HB8D2B-0125      | 0.125 GPF (1/8 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud | 474.21 |
| <b>TOP SPUD</b>  |                                                                       |        |
| HB8CT-16DF       | 1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud        | 577.26 |
| HB8CT-128DF      | 1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud       | 577.26 |
| HB8CT-128        | 1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud                          | 524.79 |
| HB8D1T-05        | 0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud                           | 524.79 |
| HB8D1T-025       | 0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud  | 524.79 |
| HB8D1T-0125      | 0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud | 524.79 |
| HB8D2T-05        | 0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud                           | 524.79 |
| HB8D2T-025       | 0.25 GPF (1/4 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud  | 524.79 |
| HB8D2T-0125      | 0.125 GPF (1/8 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud | 524.79 |

**CONCEALED FLUSH VALVES (BATTERY POWERED) - WITH 13" X 17" WALL BOX AND S.S. ACCESS F**

| <b>BACK SPUD</b> |                                                            |        |
|------------------|------------------------------------------------------------|--------|
| HB-8000C-CB-WB   | 1.6 GPF Closet, 1" Stop and 1-1/2" Back Spud with Wall Box | 693.18 |
| HB-8000C-D1B-WB  | 1.0 GPF Urinal, 3/4" Stop and 3/4" Back Spud with Wall Box | 693.18 |
| HB-8000C-D2B-WB  | 1.0 GPF Urinal, 1" Stop and 1-1/4" Back Spud with Wall Box | 693.18 |
| <b>TOP SPUD</b>  |                                                            |        |
| HB-8000C-CT-WB   | 1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud with Wall Box  | 770.36 |
| HB-8000C-D1T-WB  | 1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud with Wall Box  | 770.36 |
| HB-8000C-D2T-WB  | 1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud with Wall Box  | 770.36 |

**BATTERY & SOLAR POWERED RETROFIT FLUSH VALVES****LIST EA.****RETROFIT FLUSH VALVES (BATTERY POWERED)**

|            |                                                 |        |
|------------|-------------------------------------------------|--------|
| HB8RFKC-C  | 1.6 GPF Closet (Retrofit Sloan, Toto, and Zurn) | 354.61 |
| HB8RFKC-U  | 1.0 GPF Urinal (Retrofit Sloan, Toto, and Zurn) | 354.61 |
| HB8RFKC-CD | 1.6 GPF Closet (Retrofit Delany)                | 354.61 |
| HB8RFKC-UD | 1.0 GPF Urinal (Retrofit Delany)                | 354.61 |

**RETROFIT FLUSH VALVES (SOLAR POWERED WITH DC BACKUP)**

|            |                                                 |        |
|------------|-------------------------------------------------|--------|
| HB8RSLE-C  | 1.6 GPF Closet (Retrofit Sloan, Toto, and Zurn) | 382.98 |
| HB8RSLE-U  | 1.0 GPF Urinal (Retrofit Sloan, Toto, and Zurn) | 382.98 |
| HB8RSLE-CD | 1.6 GPF Closet (Retrofit Delany)                | 382.98 |
| HB8RSLE-UD | 1.0 GPF Urinal (Retrofit Delany)                | 382.98 |

**RETROFIT FLUSH VALVES (BATTERY POWERED) - "WATER CONSERVATION MODELS"**

|             |                                                                          |        |
|-------------|--------------------------------------------------------------------------|--------|
| HB8-R16DF   | 1.6 / 1.0 GPF "Dual Flush" Closet (Retrofit Sloan, Toto, and Zurn)       | 382.98 |
| HB8-R128DF  | 1.28 / 1.0 GPF "Dual Flush" Closet (Retrofit Sloan, Toto, and Zurn)      | 382.98 |
| HB8-R128    | 1.28 GPF Closet (Retrofit Sloan, Toto, and Zurn)                         | 354.61 |
| HB8-R05     | 0.5 GPF Urinal (Retrofit Sloan, Toto, and Zurn)                          | 354.61 |
| HB8-R025    | 0.25 GPF (1/4 Gallon per Flush) Urinal (Retrofit Sloan, Toto, and Zurn)  | 382.98 |
| HB8-R0125   | 0.125 GPF (1/8 Gallon per Flush) Urinal (Retrofit Sloan, Toto, and Zurn) | 382.98 |
| HB8-R16DFD  | 1.6 / 1.0 GPF "Dual Flush" Closet (Retrofit Delany)                      | 382.98 |
| HB8-R128DFD | 1.28 / 1.0 GPF "Dual Flush" Closet (Retrofit Delany)                     | 382.98 |
| HB8-R128D   | 1.28 GPF Closet (Retrofit Delany)                                        | 354.61 |
| HB8-R05D    | 0.5 GPF Urinal (Retrofit Delany)                                         | 354.61 |

**RETROFIT FLUSH VALVES (SOLAR POWERED WITH DC BACKUP) - "WATER CONSERVATION MODEL"**

|                |                                                                          |        |
|----------------|--------------------------------------------------------------------------|--------|
| HB8SLE-R16DF   | 1.6 / 1.0 GPF "Dual Flush" Closet (Retrofit Sloan, Toto, and Zurn)       | 382.98 |
| HB8SLE-R128DF  | 1.28 / 1.0 GPF "Dual Flush" Closet (Retrofit Sloan, Toto, and Zurn)      | 382.98 |
| HB8SLE-R128    | 1.28 GPF Closet (Retrofit Sloan, Toto, and Zurn)                         | 382.98 |
| HB8SLE-R05     | 0.5 GPF Urinal (Retrofit Sloan, Toto, and Zurn)                          | 382.98 |
| HB8SLE-R025    | 0.25 GPF (1/4 Gallon per Flush) Urinal (Retrofit Sloan, Toto, and Zurn)  | 382.98 |
| HB8SLE-R0125   | 0.125 GPF (1/8 Gallon per Flush) Urinal (Retrofit Sloan, Toto, and Zurn) | 382.98 |
| HB8SLE-R16DFD  | 1.6 / 1.0 GPF "Dual Flush" Closet (Retrofit Delany)                      | 382.98 |
| HB8SLE-R128DFD | 1.28 / 1.0 GPF "Dual Flush" Closet (Retrofit Delany)                     | 382.98 |
| HB8SLE-R128D   | 1.28 GPF Closet (Retrofit Delany)                                        | 382.98 |
| HB8SLE-R05D    | 0.5 GPF Urinal (Retrofit Delany)                                         | 382.98 |

**BATTERY POWERED SHOWERS****LIST EA.****AUTOMATIC SHOWER (BATTERY POWERED)**

|          |                  |        |
|----------|------------------|--------|
| HB-9000C | Automatic Shower | 418.89 |
|----------|------------------|--------|

**FAUCETS - COMPONENT PARTS & ASSEMBLIES****LIST EA.****AERATOR & FLOW CONTROL**

## HYDROTEK PRODUCTS &amp; PARTS

|                |                                                            |       |
|----------------|------------------------------------------------------------|-------|
| HB-003MVR-0.35 | Laminar Flow Control - 0.35 GPM - Male - Vandal Resistant  | 7.95  |
| HB-003MVR-1.5  | Laminar Flow Control - 1.5 GPM - Male - Vandal Resistant   | 7.95  |
| HB-003AMVR     | Laminar Flow Control - 0.5 GPM - Male - Vandal Resistant   | 7.95  |
| HB-003AFVR     | Laminar Flow Control - 0.5 GPM - Female - Vandal Resistant | 7.95  |
| HB-003BMVR     | Laminar Flow Control - 1.0 GPM - Male - Vandal Resistant   | 7.95  |
| HB-003CMVR     | Laminar Flow Control - 2.2 GPM - Male - Vandal Resistant   | 8.15  |
| HB-003DFVR     | Laminar Flow Control - 2.2 GPM - Female - Vandal Resistant | 8.15  |
| HB-003EF       | Laminar Flow Control - 1.5 GPM - Female                    | 6.95  |
| HB-003F        | Laminar Flow Control - 2.0 GPM - Female                    | 6.95  |
| HB-003GF       | Laminar Flow Control - 2.2 GPM - Female                    | 6.95  |
| HB-003M        | Soft Flow Aerator - 1.5 GPM - Male                         | 5.95  |
| HB-004F        | Laminar Rose Spray Flow Control - 2.2 GPM - Female         | 20.95 |

**BATTERY & BATTERY HOLDER**

|          |                                                                                 |       |
|----------|---------------------------------------------------------------------------------|-------|
| HCB-001  | 6V DC Lithium Battery                                                           | 16.55 |
| HCC-002  | 1.5V DC AA Alkaline Battery (for HCC-103A Batt. Holder) <i>*4 req. per Fct*</i> | 1.15  |
| HCC-006  | AC to DC Faucet Conversion Kit                                                  | 16.14 |
| HCC-103  | Battery Holder with 4 AA Batteries (for C-Series Faucets)                       | 13.52 |
| HCC-103A | Battery Holder Only (for C-Series Faucets)                                      | 7.59  |
| HCC-103B | Battery Holder Only (for 7000-Series Faucets)                                   | 7.59  |
| HB7-001  | Solar Cell Assembly (HB-7000SLE,SLEM)                                           | 51.64 |

**CONTROL BOXES**

|          |                                                                           |        |
|----------|---------------------------------------------------------------------------|--------|
| HCB-003A | S.S. Control Box Assembly (HB-1000,2000,2603,6000B,6700)                  | 331.46 |
| HCB-003B | Stainless Steel Control Box Assembly (HB-3000,4000)                       | 204.85 |
| HCB-003C | Rubber Seal for S.S. Control Box                                          | 6.28   |
| HCB-003D | Vandal Resistant Screws for S.S. Control Box                              | 2.26   |
| HCC-003A | Control Box Assembly (H-1000C,2603C,6000C,6700C)                          | 281.50 |
| HCC-003B | Control Box Assembly (HB-1000C,2603C,6000C,6700C)                         | 281.50 |
| HCC-003D | Vandal Resistant Screws for C-Series Control Box                          | 2.16   |
| HCC-003E | Wrench for Vandal Resistant Screws (HCC-003D)                             | 2.01   |
| HCC-004A | Control Box Assembly with Control Module (H-3000C,4000C)                  | 190.49 |
| HCC-004B | Control Box Assembly with Control Module (HB-3000C,4000C)                 | 190.49 |
| HCC-004C | Control Box & Cover w/o Power Supply or Control Module (H/HB-3000C,4000C) | 42.01  |

**CONTROL MODULES**

|          |                                                                                |        |
|----------|--------------------------------------------------------------------------------|--------|
| HC-012B  | Control Module (H-2000,2603)                                                   | 133.08 |
| HC-013B  | Control Module (H-3000,4000,6000,6700)                                         | 133.08 |
| HCB-012  | Control Module (HB-1000,2000,2603,3000,4000,6000,6700) <i>*Specify model*</i>  | 173.22 |
| HCC-011A | Control Module (H-1000C,2603C,3000C,4000C,6000C,6700C) <i>*Specify model*</i>  | 167.71 |
| HCC-011B | Control Module (HB-1000C,2603C,3000C,4000C,6000C,6700C) <i>*Specify model*</i> | 167.71 |
| HCE-007A | Control Module & Sensor (H-7000E/EM)                                           | 163.70 |
| HCE-007B | Control Module & Sensor (HB-7000E/EM)                                          | 163.70 |
| HCE-018A | Control Module & Sensor (H-5000E/EM)                                           | 187.40 |
| HCE-018B | Control Module & Sensor & Battery Holder (HB-5000E/EM)                         | 187.40 |
| HB7-004  | Solar Control Module & Sensor (HB-7000SLE/SLEM)                                | 163.70 |

**COVER PLATES, CHROME PLATED BRASS**

|         |                                                                        |       |
|---------|------------------------------------------------------------------------|-------|
| HC-006E | 4" Cover Plate w/ Mounting Kit (H/HB-2603C,6000C,6700C)                | 27.26 |
| HC-006F | 8" Cover Plate w/ Mounting Kit (H/HB-2603C,6000C,6700C)                | 41.67 |
| HC-006G | 8" Cover Plate w/ Mounting Kit (H/HB-1000C)                            | 41.67 |
| HC-006H | 4" Cover Plate w/ Mounting Kit (H/HB-3000C,4000C,4000C-SD)             | 27.26 |
| HC-006J | 8" Cover Plate w/ Mounting Kit (H/HB-3000C,4000C,4000C-SD)             | 41.67 |
| HC-006K | 4" Cover Plate w/ Mounting Kit (H/HB-5000E/EM,7000E/EM/SLE/SLEM,4100C) | 27.26 |
| HC-006L | 8" Cover Plate w/ Mounting Kit (H/HB-5000E/EM,7000E/EM/SLE/SLEM,4100C) | 41.67 |

**FILTER, IN-LINE**

|         |                                                                        |       |
|---------|------------------------------------------------------------------------|-------|
| HC-009A | In-Line Filter/Check Valve (H/HB-3000,4000;3000C,4000C,5000E/EM,7000E) | 43.86 |
| HC-009B | In-Line Filter w/o Check (All except H/HB-3000(C),4000(C),5000E/EM)    | 32.69 |
| HC-020  | Filter Screen                                                          | 4.89  |
| HC-040  | Nylon Washer for In-Line Filters                                       | 0.22  |
| HB7-008 | Diaphragm Release Valve (H/HB-7000E/EM/SLE/SLEM)                       | 8.72  |

**HANDLES & TEMPERATURE ADJUSTMENT ASSEMBLIES**

|         |                                                  |       |
|---------|--------------------------------------------------|-------|
| HC-029  | Wrist Blade Handle                               | 45.61 |
| HC-029L | Left Handle (Solenoid Cover)                     | 31.08 |
| HC-029R | Right Handle (Manual Control)                    | 35.92 |
| HC-027A | Temperature Adjuster Rod Assembly                | 79.13 |
| HC-078  | O-Ring Kit, Temperature Adjuster Rod Assembly    | 16.33 |
| HCE-028 | Temperature Adjuster Assembly (H/HB-5000EM)      | 51.43 |
| HCE-029 | Temperature Adjustment Handle Assembly           | 20.63 |
| HCE-030 | Temperature Adjuster Assembly (H/HB-7000EM/SLEM) | 51.43 |

**MOUNTING KITS**

|         |                                                                |       |
|---------|----------------------------------------------------------------|-------|
| HC-015  | Mounting Kit (H/HB-1000,1000C)                                 | 13.79 |
| HC-015A | Mounting Kit (H/HB-2000)                                       | 12.73 |
| HC-015B | Mounting Kit (H/HB-3000,4000;3000C,4000C)                      | 17.79 |
| HC-015C | Mounting Kit (H/HB-2603,6000B,6700;2603C,5000E/EM,6000C,6700C) | 17.83 |



## HYDROTEK PRODUCTS &amp; PARTS

|         |                                               |       |
|---------|-----------------------------------------------|-------|
| HC-015D | Mounting Kit (H/HB-7000E/EM/SLE/SLEM,4100CLR) | 13.79 |
|---------|-----------------------------------------------|-------|

**POWER ADAPTERS, SINGLE FAUCET & MULTI-UNIT PLUG-IN**

|          |                                                                          |       |
|----------|--------------------------------------------------------------------------|-------|
| HC-008A  | 12V DC Plug-In Adapter                                                   | 41.34 |
| HCB-008C | DC to AC Converter Kit                                                   | 41.34 |
| HCC-008B | 12V DC Plug-In Adapter (C-Series)                                        | 41.34 |
| HCE-008  | 7.5V DC Plug-In Adapter (H/HB-5000E/EM,7000E/EM/SLE/SLEM)                | 34.25 |
| HC-010   | Multi-Unit Power Adapter (8 units total)                                 | 89.25 |
| HC-0104  | Multi-Unit Power Adapter (4 units total)                                 | 63.84 |
| HC-010E  | Multi-Unit Power Adapter (H/HB-5000E/EM,7000E/EM/SLE/SLEM)               | 89.25 |
| HCC-008P | Pigtail Lead with Armored Shield Cable - 24" L (C-Series)                | 16.98 |
| HCE-008P | Pigtail Lead with Armored Shield Cable - 24" L (5000E/EM,7000E/EM/SLE/S) | 16.98 |

**SENSOR EYES**

|          |                                                            |        |
|----------|------------------------------------------------------------|--------|
| HC-011   | Sensor Eyes with PCB (H-1000)                              | 146.39 |
| HC-012A  | Sensor Eyes and Cable (H-2000,2603,6000B,6700)             | 57.21  |
| HC-013A  | Sensor Eyes and Cable (H-3000,4000)                        | 57.21  |
| HC-014A  | Sensor Eyes and Cable (H-6000B)                            | 70.88  |
| HC-016   | Sensor Eyes w/ Control Module & Wall Cover Plate (H-9000)  | 175.69 |
| HCB-011  | Sensor Eyes and Cable (HB-1000)                            | 75.92  |
| HCB-011A | Sensor Eyes and Cable (HB-2000,2603)                       | 75.92  |
| HCB-011B | Sensor Eyes and Cable (HB-3000,4000)                       | 75.92  |
| HCB-011C | Sensor Eyes and Cable (HB-6000B)                           | 75.92  |
| HCB-011D | Sensor Eyes and Cable (HB-6000A,6700)                      | 72.33  |
| HCB-109  | Sensor Eyes w/ Control Module & Wall Cover Plate (HB-9000) | 202.72 |
| HCC-030  | Sensor Eyes and Cable (H/HB-1000C)                         | 83.73  |
| HCC-031  | Sensor Eyes and Cable (H/HB-2603C,6000C)                   | 83.73  |
| HCC-032  | Sensor Eyes and Cable (H/HB-3000C,4000C)                   | 83.73  |
| HCC-033  | Sensor Eyes and Cable (H/HB-6700C)                         | 83.73  |

**SOLENOID VALVE - REBUILD KITS & PARTS**

|          |                                                                     |        |
|----------|---------------------------------------------------------------------|--------|
| HC-005   | Solenoid Valve (H-1000,2000,2603,6000B,6700)                        | 84.81  |
| HC-005A  | Control Disc (for HC-005 Solenoid Valve)                            | 14.83  |
| HC-017A  | Solenoid Valve Repair Kit (for HC-005 Solenoid Valve)               | 28.15  |
| HC-017B  | Solenoid Valve Repair Kit (H-3000,4000)                             | 29.35  |
| HC-019   | Coil Module (for HC-005 Solenoid Valve)                             | 33.50  |
| HCB-005  | Solenoid Valve (HB-1000,2000,2603,6000B,6700)                       | 155.12 |
| HCB-005A | Control Disc (for HCB-005 and HCC-005 Solenoid Valves)              | 14.83  |
| HCB-017A | Solenoid Valve Repair Kit (1000C,2603C,6000C,6700C)                 | 28.16  |
| HCB-017B | Solenoid Valve Repair Kit (3000C,4000C)                             | 28.16  |
| HCB-019  | Coil Module (for HCB-005 Solenoid Valve)                            | 120.27 |
| HCC-005  | Solenoid Valve (1000C,2603C,6000C,6700C)                            | 171.01 |
| HCC-019  | Coil Module (for HCC-005 Solenoid Valve)                            | 120.27 |
| HCE-004  | Solenoid Module, without Solenoid Coil (5000E/EM)                   | 75.88  |
| HCE-019  | Solenoid Coil, without Solenoid Module (5000E/EM,7000E/EM/SLE/SLEM) | 75.88  |
| HCE-020  | Pressure Release Valve (7000E/EM/SLE/SLEM)                          | 38.04  |
| HCE-194  | Solenoid Module and Solenoid Coil (5000E/EM)                        | 132.67 |
| HB7-006  | Solenoid Coil, without Solenoid Module (7000E/EM/SLE/SLEM)          | 75.88  |

**SPOUTS (FOR ALL GOOSENECK FAUCETS)**

|         |                                                           |       |
|---------|-----------------------------------------------------------|-------|
| HC-007A | 6" Gooseneck Spout w/ 2.0 GPM Laminar Flow Control        | 41.78 |
| HC-007E | 6" 45-degree Swing Gsnk Spout w/ 2.0 Laminar Flow Control | 32.53 |
| HC-007F | 8" 45-degree Swing Gsnk Spout w/ 2.0 Laminar Flow Control | 39.79 |
| HC-007G | 8" Gooseneck Spout w/ 2.0 GPM Laminar Flow Control        | 52.68 |

**SUPPLY TUBES**

|         |                                                                     |       |
|---------|---------------------------------------------------------------------|-------|
| HC-025A | Copper Supply Tube (H/HB-1000)                                      | 18.60 |
| HC-025B | Flexible Supply Tube (H/HB-2000,2603,6000B)                         | 13.79 |
| HC-025C | Flexible Supply Tube (H/HB-3000,4000,3000C,4000C,7000E/EM/SLE/SLEM) | 13.79 |
| HC-025E | Flexible Supply Tube (H/HB-6000A)                                   | 13.79 |
| HC-025F | 3/8" Rigid Copper Supply Tube (All except H/HB-6700,6700C)          | 4.80  |
| HCE-026 | Flexible Supply Tube (H/HB-5000E/EM)                                | 18.39 |
| HB7-027 | Flexible Supply Tube (H/HB-7000E/EM/SLE/SLEM)                       | 12.25 |

**VALVES - MECHANICAL MIXING W/ CHECKS & THERMOSTATIC W/ CHECKS**

|           |                                                                 |        |
|-----------|-----------------------------------------------------------------|--------|
| HC-001    | Mechanical Mixing/Check Valve - 3/8" Compression                | 51.67  |
| HC-001-LR | Mechanical Mixing/Check Valve - 3/8" Compression                | 56.67  |
| HC-002    | Check Valve/Back Flow Preventor                                 | 18.04  |
| HC-002A   | Check Valve Repair Kit for HC-002 (Orange Duckbill)             | 5.04   |
| HC-003    | Mixing "T" with Checks                                          | 19.97  |
| HBL-03    | Thermostatic, Anti-Scald Mixing Valve - 3/8" In/Out with Checks | 121.65 |
| HBL-04-LR | Thermostatic, Anti-Scald Mixing Valve - 3/8" In/Out with Checks | 155.05 |

**FLUSH VALVES - COMPONENT PARTS & ASSEMBLIES***LIST EA.***BATTERIES & BATTERY HOLDER**

|         |                       |       |
|---------|-----------------------|-------|
| HCB-001 | 6V DC Lithium Battery | 16.55 |
|---------|-----------------------|-------|

## HYDROTEK PRODUCTS &amp; PARTS

|          |                                                                 |       |
|----------|-----------------------------------------------------------------|-------|
| HCC-002  | 1.5V DC AA Alkaline Battery (HB8RFKC, HB-8000C) *4 req. per FV* | 1.15  |
| HCB-104  | Battery Holder (HB8RFK, HB-8000)                                | 10.44 |
| HCC-104A | Battery Holder (HB8RFKC, HB-8000C) *2 req. per FV*              | 6.00  |

**BODY & COMPONENTS**

|         |                                                     |        |
|---------|-----------------------------------------------------|--------|
| HC-088  | Back Cover Nut                                      | 12.00  |
| HC-089  | Manual Push Button Assembly                         | 43.65  |
| HC-090  | Flush Valve Body, Bare (H/HB-8000, 8000C)           | 192.54 |
| HC-096  | Cable/Tube with Nuts and Ferrules (H-8000, H-8000C) | 22.58  |
| HC-100  | Axis with Axis Rubber (H/HB-8000)                   | 5.86   |
| HC-100A | Axis Rubber (for HC-100)                            | 1.16   |
| HCC-100 | Axis (H/HB-8000C)                                   | 5.87   |
| HCC-102 | Control Disc (H/HB-8000C)                           | 46.08  |

**CONTROL MODULES**

|          |                                                        |        |
|----------|--------------------------------------------------------|--------|
| HCC-080A | Control Module (H-8000C) **Closet or Urinal?           | 167.71 |
| HCC-080B | Control Module (HB8RFKC, HB-8000C) **Closet or Urinal? | 167.71 |

**FLUSH TUBE & VACUUM BREAKER**

|            |                                                                |       |
|------------|----------------------------------------------------------------|-------|
| HC-086     | Vacuum Breaker Replacement Kit (w/ rubber & friction ring)     | 6.13  |
| HC-086A    | Flush Tube, Closet, 1-1/2" Top Spud x 8-1/2" L w/ Vac. Breaker | 14.75 |
| HC-086A-24 | Flush Tube, Closet, 1-1/2" Top Spud x 24" L w/ Vac. Breaker    | 37.00 |
| HC-086B    | Flush Tube, Urinal, 3/4" Top Spud x 8-1/2" L w/ Vac. Breaker   | 14.75 |
| HC-086B-24 | Flush Tube, Urinal, 3/4" Top Spud x 24" L w/ Vac. Breaker      | 37.00 |
| HC-086C    | Flush Tube, Urinal, 1-1/4" Top Spud x 8-1/2" L w/ Vac. Breaker | 14.75 |
| HC-086SRPS | Split Ring Pipe Support                                        | 31.63 |

**NIPPLE, STOP VALVES**

|             |                                                     |       |
|-------------|-----------------------------------------------------|-------|
| HC-083      | Delany Adapter Nipple 2-1/4" L (HB8RFK, HB8RFKC)    | 21.22 |
| HC-083-1.75 | Delany Adapter Nipple 1-3/4" L (HB8RFK, HB8RFKC)    | 23.35 |
| HC-083-2.75 | Delany Adapter Nipple 2-3/4" L (HB8RFK, HB8RFKC)    | 23.35 |
| HC-083-3.25 | Delany Adapter Nipple 3-1/4" L (HB8RFK, HB8RFKC)    | 25.48 |
| HC-083-3.75 | Delany Adapter Nipple 3-3/4" L (HB8RFK, HB8RFKC)    | 27.59 |
| HC-083-4.25 | Delany Adapter Nipple 4-1/4" L (HB8RFK, HB8RFKC)    | 29.72 |
| HC-083A     | Nipple - Standard 2-1/8" L (all Flush Valve Models) | 16.40 |
| HC-083B     | Nipple - Standard 2-1/2" L (all Flush Valve Models) | 16.40 |
| HC-083C     | Nipple - Standard 2-7/8" L (all Flush Valve Models) | 16.40 |
| HC-083D     | Nipple - Standard 3-1/2" L (all Flush Valve Models) | 17.40 |
| HC-083E     | Nipple - Standard 4" L (all Flush Valve Models)     | 19.33 |
| HC-083F     | Nipple - Standard 4-1/2" L (all Flush Valve Models) | 21.63 |
| HC-083G     | Nipple - Standard 5" L (all Flush Valve Models)     | 23.39 |
| HC-083H     | Nipple - Standard 5-1/2" L (all Flush Valve Models) | 25.75 |
| HC-083J     | Nipple - Standard 6" L (all Flush Valve Models)     | 28.30 |
| HC-083K     | Nipple - Standard 1-1/2" L (all Flush Valve Models) | 12.75 |

**POWER ADAPTER**

|          |                                                     |       |
|----------|-----------------------------------------------------|-------|
| HCC-008C | Plug-In Power Adapter without Output Plug (H-8000C) | 35.98 |
|----------|-----------------------------------------------------|-------|

**SECURITY SCREWS (FOR HB8RFKC & H/HB-8000C)**

|          |                                          |       |
|----------|------------------------------------------|-------|
| HCC-085A | Security Screws for Top Cap (Pkg. of 10) | 14.86 |
| HCC-085B | Security Screw Wrench                    | 2.13  |

**SENSOR EYES**

|          |                                                                     |        |
|----------|---------------------------------------------------------------------|--------|
| HC-080   | Sensor Eyes & Control Module Assembly (H-8000) **Closet or Urinal?  | 153.65 |
| HCB-080  | Sensor Eyes & Control Module Assembly (HB-8000) **Closet or Urinal? | 165.30 |
| HCC-080E | Sensor Eye & Cable (HB8RFKC, H/HB-8000C)                            | 71.67  |

**SOLENOID VALVE / VALVE PARTS / REPAIR KITS**

|             |                                                  |        |
|-------------|--------------------------------------------------|--------|
| HC-087      | Valve Seat, Solenoid (H-8000)                    | 52.64  |
| HC-098      | Coil Module, Solenoid (H-8000)                   | 29.00  |
| HC-106      | Repair Kit, Solenoid Valve (H-8000)              | 28.16  |
| HCB-087     | Valve Seat, Solenoid (HB-8000)                   | 52.64  |
| HCB-098     | Coil Module, Solenoid (HB-8000)                  | 120.27 |
| HCB-106     | Repair Kit, Solenoid Valve (HB-8000)             | 27.95  |
| HCB-106 AMC | Repair Kit, Solenoid Valve (HB-8000)             | 37.76  |
| HCC-087     | Valve Seat, Solenoid (HB8RFKC, H/HB-8000C)       | 52.64  |
| HCC-098     | Solenoid Coil Module (HB8RFKC, H/HB-8000C)       | 120.27 |
| HCC-106     | Repair Kit, Solenoid Valve (HB8RFKC, H/HB-8000C) | 37.76  |

**STOP VALVE, ANGLE**

|         |                               |       |
|---------|-------------------------------|-------|
| HC-082A | Angle Stop - 3/4"             | 41.13 |
| HC-082B | Angle Stop - 1"               | 41.13 |
| HC-082C | Repair Kit - Angle Stop Valve | 8.36  |

**SWEAT KIT**

|         |                  |       |
|---------|------------------|-------|
| HC-084  | Sweat Kit - 3/4" | 12.71 |
| HC-084B | Sweat Kit - 1"   | 14.50 |

## HYDROTEK PRODUCTS &amp; PARTS

| TOP CAP & TOP CAP ASSEMBLY |                                                                   |        |
|----------------------------|-------------------------------------------------------------------|--------|
| HC-081                     | Top Cap Nut Assembly (HB8RFKC, H/HB-8000)                         | 40.76  |
| HC-085                     | Chrome Plated Top Cap Cover (H-8000)                              | 32.26  |
| HC-092A                    | Top Cap Assembly (H-8000)                                         | 275.75 |
| HCC-088A                   | Chrome Plated Top Cap (H-8000C)                                   | 48.37  |
| HCC-088B                   | Chrome Plated Top Cap (HB8RFKC, HB-8000C)                         | 38.72  |
| HCC-085F                   | AC Input Tube Flange with Set Screws (C-Series)                   | 11.81  |
| HCC-085T                   | AC Input Tube (C-Series)                                          | 12.58  |
| HCC-092B                   | Top Cap Assem. (HB8RFKC, H/HB-8000C) <b>**Flow rate? AC/Batt?</b> | 255.68 |
| HCC-092SLE                 | Solar Top Cap Conversion Kit (HB8RFKC, H/HB-8000C)                | 224.56 |

| TOP SPUD ASSEMBLY |        |       |
|-------------------|--------|-------|
| HC-093A           | 3/4"   | 10.73 |
| HC-093B           | 1-1/4" | 10.73 |
| HC-093C           | 1-1/2" | 10.73 |

| TRAP PRIMER |                                                             |       |
|-------------|-------------------------------------------------------------|-------|
| HC-086D     | Trap Primer Assembly with Vacuum Breaker (11-1/2" Rough In) | 69.90 |

| WALL BOX |                                                      |        |
|----------|------------------------------------------------------|--------|
| HC-200   | Wall Box with Access Panel for Concealed Flush Valve | 242.00 |

| WALL PLATE  |                                                                 |        |
|-------------|-----------------------------------------------------------------|--------|
| HCC-080C    | 7" x 7" Wall Plate without Button (for Concealed Urinal)        | 260.60 |
| HCC-080CVRB | 7" x 7" Wall Plate with Button (for Concealed Closet)           | 285.14 |
| HCC-009C    | 7" x 7" Wall Plate with Sensor Eye & Cable (Shower)             | 99.35  |
| HCC-009PP   | 7" x 7" Wall Plate without Sensor Eye & Cable (Shower)          | 12.54  |
| HC-080C     | 7" x 7" Wall Plate with Sensor Module for H-8000 for DC Airport | 169.83 |
| HCC-008PP   | 3" x 5" Wall Plate                                              | 12.54  |
| PC-011-04B  | Old Style Green Button for Wall Plate                           | 10.63  |