

**AC POWERED FAUCETS****LIST EA.****LOW-LEAD FAUCETS WITH SPECIAL FINISH(POLISHED BRASS & BRUSHED NICKEL)**

|                      |                                                                      |               |
|----------------------|----------------------------------------------------------------------|---------------|
| <b>H1000CPB-LR</b>   | <b>Polished Brass Finish, 4" Center-Set, Non-Mixing,</b>             | <b>508.00</b> |
| <b>H1000CBN-LR</b>   | <b>BRUSHED NICKEL Finish, 4"Center-Set, Non-Mixing</b>               | <b>508.00</b> |
| <b>H1000CPB-LRDC</b> | <b>Polished Brass Finish, 4"Center-Set,Non-Mixing, W/DC Backup</b>   | <b>526.00</b> |
| <b>H1000CBN-LRDC</b> | <b>BRUSHED NICKEL Finish, 4"Center-Set,Non-Mixing, W / DC Backup</b> | <b>526.00</b> |

**LOW-LEAD FAUCETS (AC POWERED)**

|               |                                                              |               |
|---------------|--------------------------------------------------------------|---------------|
| H-1000C-LR    | Low Lead Lavatory Faucet, 4" Center-Set, Non-mixing          | 457.26        |
| H-2603C-LR    | Low Lead Lavatory Faucet, Non-mixing                         | 430.90        |
| H-4000C-LR    | Low Lead Gooseneck Faucet, Mixing & Manual On/Off            | 603.68        |
| H-4000C-SD-LR | Low Lead Gooseneck Faucet (Scrub Sink Version)               | 623.68        |
| H-4100C-LR    | Low Lead Gooseneck Faucet, Ceramic Mixing & Manual On/Off    | 471.37        |
| H-5000E-LR    | Low Lead Lavatory Faucet, Above-Deck Components, Non-mixing  | 409.24        |
| H-5000EM-LR   | Low Lead Lavatory Faucet, Above-Deck, Mixing & Manual On/Off | 457.43        |
| H-6000C-LR    | Low Lead Gooseneck Faucet, Deck Mount, Non-mixing            | 474.85        |
| H-6700C-LR    | Low Lead Gooseneck Faucet, Wall Mount, Non-mixing            | 485.64        |
| H-7000E-LR    | Low Lead Lavatory Faucet, Above-Deck Components, Non-mixing  | <b>331.68</b> |
| H-7000EM-LR   | Low Lead Lavatory Faucet, Above-Deck, Mixing & Manual On/Off | <b>348.68</b> |

**LOW-LEAD FAUCETS (AC POWERED WITH DC BACKUP)**

|                 |                                                               |        |
|-----------------|---------------------------------------------------------------|--------|
| H-1000C-LRDC    | Low Lead Lav. Faucet, 4" Center-Set, Non-mixing, w/ DC Backup | 470.25 |
| H-2603C-LRDC    | Low Lead Lav. Faucet, Non-mixing, w/ DC Backup                | 444.90 |
| H-4000C-LRDC    | Low Lead Gsnk Faucet, Mixing & Manual On/Off, w/ DC Backup    | 613.68 |
| H-4000C-SD-LRDC | Low Lead Gsnk Faucet, w/ DC Backup (Scrub Sink Version)       | 633.68 |
| H-6000C-LRDC    | Low Lead Gsnk Faucet, Deck Mount, Non-mixing, w/ DC Backup    | 488.20 |
| H-6700C-LRDC    | Low Lead Gsnk Faucet, Wall Mount, Non-mixing, w/ DC Backup    | 499.64 |

**AC POWERED FLUSH VALVES****LIST EA.****EXPOSED FLUSH VALVES (AC POWERED)**

|            |                                             |        |
|------------|---------------------------------------------|--------|
| H-8000C-A  | 1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud | 466.52 |
| H-8000C-B1 | 1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud | 466.52 |
| H-8000C-B2 | 1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud | 466.52 |

**EXPOSED FLUSH VALVES (AC POWERED WITH DC BACKUP)**

|              |                                                           |        |
|--------------|-----------------------------------------------------------|--------|
| H-8000C-ADC  | 1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud, w/ DC Backup | 498.02 |
| H-8000C-B1DC | 1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud, w/ DC Backup | 498.02 |
| H-8000C-B2DC | 1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud, w/ DC Backup | 498.02 |

**EXPOSED FLUSH VALVES (AC POWERED) - "WATER CONSERVATION MODELS"**

|            |                                                                      |               |
|------------|----------------------------------------------------------------------|---------------|
| H8-16DF    | 1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud       | <b>474.21</b> |
| H8-128DF   | 1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud      | <b>474.21</b> |
| H8-128     | 1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud                         | 466.52        |
| H8-B1-05   | 0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud                          | 466.52        |
| H8-B1-0125 | 0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud | 466.52        |
| H8-B1-025  | 0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud  | 466.52        |
| H8-B1-0375 | 0.375 GPF (3/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud | 466.52        |
| H8-B2-05   | 0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud                          | 466.52        |

**EXPOSED FLUSH VALVES (AC POWERED WITH DC BACKUP) - "WATER CONSERVATION MODELS"**

|              |                                                                      |               |
|--------------|----------------------------------------------------------------------|---------------|
| H8-16-DFDC   | 1.6 / 1.0 GPF "Dual Flush" Closet, 1" and 1-1/2", w/ DC Backup       | <b>508.00</b> |
| H8-128-DFDC  | 1.28 / 1.0 GPF "Dual Flush" Closet, 1" and 1-1/2", w/ DC Backup      | <b>508.00</b> |
| H8-128-DC    | 1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud, w/ DC Backup           | 498.02        |
| H8-B1-05DC   | 0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud, w/ DC Backup            | 498.02        |
| H8-B1-0125DC | 0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" and 3/4", w/ DC Backup | 498.02        |
| H8-B2-05DC   | 0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud, w/ DC Backup            | 498.02        |

| <b>CONCEALED RETROFIT SLOAN &amp; ZURN FLUSH VALVE WITH 5"x5" SENSOR PLATE (PLUG-IN POWER)</b> |                                                                      |               |
|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|---------------|
| <b>H8CRFKC-C</b>                                                                               | <b>1.6GPF(CONCEALED RETROFIT SLOAN &amp; ZURN)</b>                   | <b>354.61</b> |
| <b>H8CRFKC-U</b>                                                                               | <b>10GPF(CONCEALED RETROFIT SLOAN &amp; ZURN)</b>                    | <b>354.61</b> |
| <b>H8CRFKC-16DF</b>                                                                            | <b>1.6/1.0GPF "DUAL FLUSH"(CONCEALED RETROFIT SLOAN &amp; ZURN)</b>  | <b>374.68</b> |
| <b>H8CRFKC-1.28DF</b>                                                                          | <b>1.28/1.0 GPF"DUAL FLUSH"(CONCEALED RETROFIT SLOAN &amp; ZURN)</b> | <b>374.68</b> |
| <b>H8CRFKC-1.28GPF</b>                                                                         | <b>1.28GPF(CONCEALED RETROFIT SLOAN &amp; ZURN)</b>                  | <b>354.61</b> |
| <b>H8CRFKC-05GPF</b>                                                                           | <b>0.5GPF(CONCEALED RETROFIT SLOAN &amp; ZURN)</b>                   | <b>354.61</b> |
| <b>H8CRFKC-025GPF</b>                                                                          | <b>0.25GPF(CONCEALED RETROFIT SLOAN &amp; ZURN)</b>                  | <b>354.61</b> |
| <b>H8CRFKC-0125GPF</b>                                                                         | <b>0125GPF (CONCEALED RETROFIT SLOAN &amp; ZURN)</b>                 | <b>354.61</b> |
| <b>CONCEALED FLUSH VALVES (AC POWERED)</b>                                                     |                                                                      |               |
| <b>H-8000C-CB</b>                                                                              | <b>1.6 GPF Closet, 1" Stop and 1-1/2" Back Spud</b>                  | <b>439.71</b> |
| <b>H-8000C-D1B</b>                                                                             | <b>1.0 GPF Urinal, 3/4" Stop and 3/4" Back Spud</b>                  | <b>439.71</b> |
| <b>H-8000C-D2B</b>                                                                             | <b>1.0 GPF Urinal, 1" Stop and 1-1/4" Back Spud</b>                  | <b>439.71</b> |
| <b>TOP SPUD</b>                                                                                |                                                                      |               |
| <b>H-8000C-CT</b>                                                                              | <b>1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud</b>                   | <b>466.52</b> |
| <b>H-8000C-D1T</b>                                                                             | <b>1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud</b>                   | <b>466.52</b> |
| <b>H-8000C-D2T</b>                                                                             | <b>1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud</b>                   | <b>466.52</b> |

| <b>CONCEALED FLUSH VALVES (AC POWERED WITH DC BACKUP)</b> |                                                                   |               |
|-----------------------------------------------------------|-------------------------------------------------------------------|---------------|
| <b>BACK SPUD</b>                                          |                                                                   |               |
| <b>H-8000C-CBDC</b>                                       | <b>1.6 GPF Closet, 1" Stop and 1-1/2" Back Spud, w/ DC Backup</b> | <b>471.21</b> |
| <b>H-8000C-D1BDC</b>                                      | <b>1.0 GPF Urinal, 3/4" Stop and 3/4" Back Spud, w/ DC Backup</b> | <b>471.21</b> |
| <b>H-8000C-D2BDC</b>                                      | <b>1.0 GPF Urinal, 1" Stop and 1-1/4" Back Spud, w/ DC Backup</b> | <b>471.21</b> |
| <b>TOP SPUD</b>                                           |                                                                   |               |
| <b>H-8000C-CTDC</b>                                       | <b>1.6 GPF Closet, 1" Stop and 1-1/2" Back Spud, w/ DC Backup</b> | <b>498.02</b> |
| <b>H-8000C-D1TDC</b>                                      | <b>1.0 GPF Urinal, 3/4" Stop and 3/4" Back Spud, w/ DC Backup</b> | <b>498.02</b> |
| <b>H-8000C-D2TDC</b>                                      | <b>1.0 GPF Urinal, 1" Stop and 1-1/4" Back Spud, w/ DC Backup</b> | <b>498.02</b> |

| <b>CONCEALED FLUSH VALVES (AC POWERED) - "WATER CONSERVATION MODELS"</b> |                                                                              |               |
|--------------------------------------------------------------------------|------------------------------------------------------------------------------|---------------|
| <b>BACK SPUD</b>                                                         |                                                                              |               |
| <b>H8CB-16DF</b>                                                         | <b>1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Back Spud</b>       | <b>474.21</b> |
| <b>H8CB-128DF</b>                                                        | <b>1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Back Spud</b>      | <b>474.21</b> |
| <b>H8CB-128</b>                                                          | <b>1.28 GPF Closet, 1" Stop and 1-1/2" Back Spud</b>                         | <b>439.71</b> |
| <b>H8D1B-05</b>                                                          | <b>0.5 GPF Urinal, 3/4" Stop and 3/4" Back Spud</b>                          | <b>439.71</b> |
| <b>H8D1B-025</b>                                                         | <b>0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud</b>  | <b>439.71</b> |
| <b>H8D1B-0125</b>                                                        | <b>0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud</b> | <b>439.71</b> |
| <b>H8D2B-05</b>                                                          | <b>0.5 GPF Urinal, 1" Stop and 1-1/4" Back Spud</b>                          | <b>439.71</b> |
| <b>H8D2B-025</b>                                                         | <b>0.25 GPF (1/4 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud</b>  | <b>439.71</b> |
| <b>H8D2B-0125</b>                                                        | <b>0.125 GPF (1/8 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud</b> | <b>439.71</b> |
| <b>TOP SPUD</b>                                                          |                                                                              |               |
| <b>H8CT-16DF</b>                                                         | <b>1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud</b>        | <b>498.68</b> |
| <b>H8CT-128DF</b>                                                        | <b>1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud</b>       | <b>498.68</b> |
| <b>H8CT-128</b>                                                          | <b>1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud</b>                          | <b>466.52</b> |
| <b>H8D1T-05</b>                                                          | <b>0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud</b>                           | <b>466.52</b> |
| <b>H8D1T-025</b>                                                         | <b>0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud</b>  | <b>466.52</b> |
| <b>H8D1T-0125</b>                                                        | <b>0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud</b> | <b>466.52</b> |
| <b>H8D2T-05</b>                                                          | <b>0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud</b>                           | <b>466.52</b> |
| <b>H8D2T-025</b>                                                         | <b>0.25 GPF (1/4 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud</b>  | <b>466.52</b> |
| <b>H8D2T-0125</b>                                                        | <b>0.125 GPF (1/8 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud</b> | <b>466.52</b> |

| <b>CONCEALED FLUSH VALVES (AC POWERED WITH DC BACKUP) - "WATER CONSERVATION MODELS"</b> |                                                                        |               |
|-----------------------------------------------------------------------------------------|------------------------------------------------------------------------|---------------|
| <b>BACK SPUD</b>                                                                        |                                                                        |               |
| <b>H8CB-16-DFDC</b>                                                                     | <b>1.6 / 1.0 GPF "Dual Flush" Closet, 1" and 1-1/2", w/ DC Backup</b>  | <b>506.38</b> |
| <b>H8CB-128-DFDC</b>                                                                    | <b>1.28 / 1.0 GPF "Dual Flush" Closet, 1" and 1-1/2", w/ DC Backup</b> | <b>506.38</b> |
| <b>H8CB-128-DC</b>                                                                      | <b>1.28 GPF Closet, 1" Stop and 1-1/2" Back Spud, w/ DC Backup</b>     | <b>471.21</b> |
| <b>H8D1B-05-DC</b>                                                                      | <b>0.5 GPF Urinal, 3/4" Stop and 3/4" Back Spud, w/ DC Backup</b>      | <b>471.21</b> |
| <b>H8D1B-0125DC</b>                                                                     | <b>0.125GPF Urinal,3/4" Stop and 3/4" Back Spud, w/DC Backup</b>       | <b>471.21</b> |
| <b>H8D2B-05-DC</b>                                                                      | <b>0.5 GPF Urinal, 1" Stop and 1-1/4" Back Spud, w/ DC Backup</b>      | <b>471.21</b> |
| <b>TOP SPUD</b>                                                                         |                                                                        |               |
| <b>H8CT-16-DFDC</b>                                                                     | <b>1.6 / 1.0 GPF "Dual Flush" Closet, 1" and 1-1/2", w/ DC Backup</b>  | <b>520.68</b> |

|               |                                                                 |               |
|---------------|-----------------------------------------------------------------|---------------|
| H8CT-128-DFDC | 1.28 / 1.0 GPF "Dual Flush" Closet, 1" and 1-1/2", w/ DC Backup | <b>520.68</b> |
| H8CT-128-DC   | 1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud, w/ DC Backup      | <b>508.76</b> |
| H8D1T-05-DC   | 0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud, w/ DC Backup       | <b>508.76</b> |
| H8D1T-0125-DC | 0.125 GPF Urinal, 3/4" Stop and 3/4" Top Spud, w/ DC Backup     | <b>508.76</b> |
| H8D2T-05-DC   | 0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud, w/ DC Backup       | <b>508.76</b> |

**CONCEALED FLUSH VALVES (AC POWERED) - WITH 13" X 17" WALL BOX AND S.S. ACCESS PANEL**

|                        |                                                                                  |               |
|------------------------|----------------------------------------------------------------------------------|---------------|
| <b>BACK SPUD</b>       |                                                                                  |               |
| H-8000C-CB-WB          | 1.6 GPF Closet, 1" Stop and 1-1/2" Back Spud, with Wall Box                      | <b>647.68</b> |
| <b>H8CB-128-WB</b>     | <b>1.28GPF Closet, 1" Stop and 1-1/2" Back Spud, With Wall Box</b>               | <b>647.68</b> |
| <b>H8CB-16DF-WB</b>    | <b>1.6/1.0 "Dual Flush" Closet, 1" Stop and 1-1/2" Back Spud with Wall Box</b>   | <b>676.68</b> |
| <b>H8CB-128DF-WB</b>   | <b>1.28/1.0 "Dual Flush" Closet, 1" Stop and 1-1/2" Back Spud, With Wall Box</b> | <b>676.68</b> |
| H-8000C-D1B-WB         | 1.0 GPF Urinal, 3/4" Stop and 3/4" Back Spud, with Wall Box                      | <b>647.68</b> |
| <b>H8D1B-05-WB</b>     | <b>0.5GPF Urinal, 3/4" Stop and 3/4" back Spud with Wall Box</b>                 | <b>647.68</b> |
| <b>H8D1B-0125-WB</b>   | <b>0.125GPF Urinal 3/4" Stop and 3/4" Back Spud with Wall Box</b>                | <b>647.68</b> |
| H-8000C-D2B-WB         | 1.0 GPF Urinal, 1" Stop and 1-1/4" Back Spud, with Wall Box                      | <b>647.68</b> |
| <b>TOP SPUD</b>        |                                                                                  |               |
| H-8000C-CT-WB          | 1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud, with Wall Box                       | <b>658.69</b> |
| <b>H8CT-128-WB</b>     | <b>1.28GPF Closet, 1" Stop and 1-1/2" Top Spud, with Wall Box</b>                | <b>658.69</b> |
| <b>H8CT-16DF-WB</b>    | <b>1.6/1.0 "Dual FLUSH" closet, 1" Stop and 1-1/2" Top Spud, with Wall Box</b>   | <b>676.68</b> |
| <b>H8CT-128DF-WB</b>   | <b>1.28/1.0 "DUAL FLUSH", Closet, 1" Stop and 1-1/2" Top Spud, with Wall Box</b> | <b>676.68</b> |
| H-8000C-D1T-WB         | 1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud with Wall Box                        | <b>658.69</b> |
| <b>H8-D1T-05-WB</b>    | <b>0.5GPF Urinal, 3/4" Stop and 3/4" Top Spud, with Wall Box</b>                 | <b>658.69</b> |
| <b>H8-D1T-0.125-WB</b> | <b>0.125GPF Urinal, 3/4" Stop and Top Spud, with Wall Box</b>                    | <b>658.69</b> |
| H-8000C-D2T-WB         | 1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud, with Wall Box                       | <b>658.69</b> |

**CONCEALED FLUSH VALVES (AC POWERED WITH DC BACKUP) - WITH 13" X 17" WALL BOX AND S.S. ACC**

|                         |                                                                                      |               |
|-------------------------|--------------------------------------------------------------------------------------|---------------|
| <b>BACK SPUD</b>        |                                                                                      |               |
| H-8000C-CBWBDC          | 1.6 GPF Closet, 1" and 1-1/2", with DC Backup and Wall Box                           | <b>676.68</b> |
| <b>H8CB-128-WBDC</b>    | <b>1.28GPF Closet, 1" Stop and 1-1/2" Back Spud, With Wall Box</b>                   | <b>676.68</b> |
| <b>H8CB-16DF-WBDC</b>   | <b>1.6/1.0 "DUAL FLUSH", Closet 1" Stop &amp; 1-1/2" Back Spud W DC Backup Wall</b>  | <b>688.68</b> |
| <b>H8CB-128DF-WBDC</b>  | <b>1.28/1.0 "DUAL Flush" Closet, 1" Stop &amp; 1-1/2" Back Spud W DC Backup Wall</b> | <b>688.68</b> |
| H-8000C-D1BWBDC         | 1.0 GPF Urinal, 3/4" and 3/4", with DC Backup and Wall Box                           | <b>676.68</b> |
| <b>H8-D1B-05-WBDC</b>   | <b>0.5GPF Urinal, 3/4" and 3/4", with DC backup and Wall Box</b>                     | <b>676.68</b> |
| <b>H8-D1B-0125-WBDC</b> | <b>0.125GPF Urinal, 3/4" and 3/4", with DC backup and Wall Box</b>                   | <b>676.68</b> |
| H-8000C-D2BWBDC         | 1.0 GPF Urinal, 1" and 1-1/4", with DC Backup and Wall Box                           | <b>676.68</b> |
| <b>TOP SPUD</b>         |                                                                                      |               |
| H-8000C-CTWBDC          | 1.6 GPF Closet, 1" and 1-1/2", with DC Backup and Wall Box                           | <b>688.68</b> |
| <b>H8CT-128-WBDC</b>    | <b>1.28GPF Closet, 1" and 1-1/2" with DC backup and Wall Box</b>                     | <b>688.68</b> |
| <b>H8-CT-16DFDC-WB</b>  | <b>1.6/1.0 "DUAL FLUSH" 1" and 1-1/2" with DC backup and Wall Box</b>                | <b>698.68</b> |
| <b>H8-CT-128DFDC-WB</b> | <b>1.28/1.0 "DUAL FLUSH" 1" and 1-1/2" with DC Backup and Wall Box</b>               | <b>698.68</b> |
| H-8000C-D1TWBDC         | 1.0 GPF Urinal, 3/4" and 3/4", with DC Backup and Wall Box                           | <b>688.68</b> |
| <b>H8-D1T-05-DCWB</b>   | <b>0.5GPF Urinal, 3/4" and 3/4", with DC Backup and Wall Box</b>                     | <b>688.68</b> |
| <b>H8D1T-0125-DCWB</b>  | <b>0.125GPF Urinal, 3/4" and 3/4" with DC Backup and Wall Box</b>                    | <b>688.68</b> |
| H-8000C-D2TWBDC         | 1.0 GPF Urinal, 1" and 1-1/4", with DC Backup and Wall Box                           | <b>688.68</b> |

**AC POWERED RETROFIT FLUSH VALVES****LIST EA.****CONCEALED FLUSH VALVE BODY ONLY**

|                          |                  |               |
|--------------------------|------------------|---------------|
| <b>H8CRFKC-Concealed</b> | Unpolished Brass | <b>227.74</b> |
|--------------------------|------------------|---------------|

**EXPOSED RETROFIT FLUSH VALVES (AC POWERED)**

|           |                                                |               |
|-----------|------------------------------------------------|---------------|
| H8RFKC-C  | 1.6 GPF Closet (Retrofit Sloan, Toto, and Zum) | <b>365.14</b> |
| H8RFKC-U  | 1.0 GPF Urinal (Retrofit Sloan, Toto, and Zum) | <b>365.14</b> |
| H8RFKC-CD | 1.6 GPF Closet (Retrofit Delany)               | <b>365.14</b> |
| H8RFKC-UD | 1.0 GPF Urinal (Retrofit Delany)               | <b>365.14</b> |

**AC POWERED SHOWERS****LIST EA.****AUTOMATIC SHOWER (AC POWERED)**

|         |                  |               |
|---------|------------------|---------------|
| H-9000C | Automatic Shower | <b>436.68</b> |
|---------|------------------|---------------|

**AUTOMATIC SHOWER (AC POWERED WITH DC BACKUP)**

|            |                               |        |
|------------|-------------------------------|--------|
| H-9000C-DC | Automatic Shower w/ DC Backup | 450.39 |
|------------|-------------------------------|--------|

**BATTERY & SOLAR POWERED FAUCETS****LIST EA.****FAUCETS 11TH SPECIAL FINISH(POLISHED BRASS & BRUSHED NICKEL)**

|              |                                                   |               |
|--------------|---------------------------------------------------|---------------|
| HB1000CPB-LR | Polished Brass Finish, 4" Center-Set, Non-Mixing, | <b>508.00</b> |
| HB1000CBN-LR | BRUSHED NICKEL Finish, 4" Center-Set, Non-Mixing  | <b>508.00</b> |

**LOW-LEAD FAUCETS (BATTERY & SOLAR POWERED)**

|                |                                                                    |               |
|----------------|--------------------------------------------------------------------|---------------|
| HB-1000C-LR    | Low Lead Lavatory Faucet, 4" Center-Set, Non-mixing                | 457.26        |
| HB-2603C-LR    | Low Lead Lavatory Faucet, Non-mixing                               | 430.90        |
| HE-2710-LR     | Lavatory, with ENDURATEK®, Non-mixing                              | 436.29        |
| HE-2730-LR     | Wall Mount Faucet, with ENDURATEK®, Non-mixing                     | 453.82        |
| HB-3000C-LR    | Lavatory Faucet, Mixing & Manual On/Off                            | 568.68        |
| HB-4000C-LR    | Low Lead Gooseneck Faucet, Mixing & Manual On/Off                  | 603.68        |
| HB-4000C-SD-LR | Low Lead Gooseneck Faucet (Scrub Sink Version)                     | 623.68        |
| HB-4100C-LR    | Low Lead Gooseneck Faucet, Ceramic Mixing & Manual On/Off          | 471.37        |
| HE-4100C-LR    | Goosneck, with ENDURATEK®, Mixing Manual on/off                    | 491.37        |
| HE-5000E-LR    | Lavatory, with ENDURATEK®, Non-mixing                              | 427.52        |
| HE-5000EM-LR   | Lavatory, with ENDURATEK®, Mixing Manual on/off                    | 476.64        |
| HB-6000C-LR    | Low Lead Gooseneck Faucet, Deck Mount, Non-mixing                  | 474.85        |
| HE-6300C-LR    | Goosneck, with ENDURATEK®, Non-mixing                              | <b>418.74</b> |
| HB-6700C-LR    | Low Lead Gooseneck Faucet, Wall Mount, Non-mixing                  | 485.64        |
| HB-7000E-LR    | Low Lead Lavatory Faucet, Above-Deck, Non-mixing                   | <b>331.68</b> |
| HB-7000EM-LR   | Low Lead Lavatory Faucet, Above Deck, Mixing & Manual On/Off       | <b>348.68</b> |
| HB-7000SLE-LR  | Low Lead Solar Lavatory Faucet, Above-Deck, Non-mixing             | 471.68        |
| HB-7000SLEM-LR | Low Lead Solar Lavatory Faucet, Above-Deck, Mixing & Manual On/Off | 485.68        |

**BATTERY, SPECIAL FINISH & SOLAR POWERED FLUSH VALVES****LIST EA.****EXPOSED FLUSH VALVES (BATTERY POWERED)**

|                |                                                              |               |
|----------------|--------------------------------------------------------------|---------------|
| HB8000CPB-A    | POLISHED BRASS 1.6GPF Closet, 1" and 1-1/2" Top Spud         | <b>518.68</b> |
| HB8000CBN-A    | BRUSHED NICKEL 1.6GPF Closet, 1" and 1-1/2" Top Spud         | <b>518.68</b> |
| HB8CPB-128     | POLISHED BRASS 1.28GPF Closet, 1" and 1-1/2" Top Spud        | <b>518.68</b> |
| HB8CBN-128     | BRUSHED NICKEL 1.28GPF Closet, 1" and 1-1/2" Top Spud        | <b>518.68</b> |
| HB8CPB-128DF   | POLISHED BRASS 1.28/1.0GPF Closet, 1" and 1-1/2" Top Spud    | <b>518.68</b> |
| HB8CBN-128DF   | BRUSHED NICKEL 1.28/1.0GPF Closet, 1" and 1-1/2" Top Spud    | <b>518.68</b> |
| HB8CPB-16DF    | POLISHED BRASS 1.6/1.0GPF Closet, 1" and 1-1/2" Top Spud     | <b>518.68</b> |
| HB8CBN-16DF    | BRUSHED NICKEL 1.6/1.0GPF Closet, 1" and 1-1/2" Top Spud     | <b>518.68</b> |
| HB8000CPB-B1   | POLISHED BRASS, 1.0GPF Urinal, 3/4" Stop & 3/4" Top Spud     | <b>518.68</b> |
| HB8000CBN-B1   | BRUSHED NICKEL, 1.0GPF Urinal, 3/4" Stop & 3/4" Top Spud.    | <b>518.68</b> |
| HB8CPB-B1-05   | POLISHED BRASS, 0.5GPF Urinal, 3/4" Stop & 3/4" Top Spud     | <b>518.68</b> |
| HB8CBN-B1-05   | BRUSHED NICKEL, 0.5 GPF Urinal, 3/4" Stop & 3/4" Top Spud.   | <b>518.68</b> |
| HB8CPB-B1-025  | POLISHED BRASS, 0.25GPF Urinal, 3/4" Stop & 3/4" Top Spud    | <b>518.68</b> |
| HB8CBN-B1-025  | BRUSHED NICKEL, 0.25 GPF Urinal, 3/4" Stop & 3/4" Top Spud.  | <b>518.68</b> |
| HB8CPB-B1-0125 | POLISHED BRASS, 0.125GPF Urinal, 3/4" Stop & 3/4" Top Spud   | <b>518.68</b> |
| HB8CBN-B1-0125 | BRUSHED NICKEL, 0.125 GPF Urinal, 3/4" Stop & 3/4" Top Spud. | <b>518.68</b> |
| HB-8000C-B1    | 1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud                  | 439.09        |
| HB-8000C-B2    | 1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud                  | 439.09        |
| HB-8000C-A     | 1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud                  | 439.09        |

**EXPOSED FLUSH VALVES (SOLAR POWERED WITH DC BACKUP)**

|               |                                             |        |
|---------------|---------------------------------------------|--------|
| HB-8000SLE-A  | 1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud | 474.21 |
| HB-8000SLE-B1 | 1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud | 474.21 |
| HB-8000SLE-B2 | 1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud | 474.21 |



| <b>EXPOSED FLUSH VALVES (BATTERY POWERED) - "WATER CONSERVATION MODELS"</b> |                                                                      |               |
|-----------------------------------------------------------------------------|----------------------------------------------------------------------|---------------|
| HB8-16DF                                                                    | 1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud       | <b>454.68</b> |
| HB8-128DF                                                                   | 1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud      | <b>454.68</b> |
| HB8-128                                                                     | 1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud                         | <b>439.09</b> |
| HB8-B1-05                                                                   | 0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud                          | <b>439.09</b> |
| HB8-B1-0375                                                                 | 0.375 GPF (3/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud | <b>439.09</b> |
| HB8-B1-025                                                                  | 0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud  | <b>439.09</b> |
| HB8-B1-0125                                                                 | 0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud | <b>439.09</b> |
| HB8-B2-05                                                                   | 0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud                          | <b>439.09</b> |

| <b>EXPOSED FLUSH VALVES (SOLAR POWERED WITH DC BACKUP) - "WATER CONSERVATION MODELS"</b> |                                                                      |        |
|------------------------------------------------------------------------------------------|----------------------------------------------------------------------|--------|
| HB8SLE-16DF                                                                              | 1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud       | 474.21 |
| HB8SLE-128DF                                                                             | 1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud      | 474.21 |
| HB8SLE-128                                                                               | 1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud                         | 474.21 |
| HB8SLE-B1-05                                                                             | 0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud                          | 474.21 |
| HB8SLE-B1-025                                                                            | 0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud  | 474.21 |
| HB8SLE-B1-0125                                                                           | 0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud | 474.21 |
| HB8SLE-B2-05                                                                             | 0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud                          | 474.21 |

| <b>CONCEALED RETROFIT SLOAN &amp; ZURN FLUSH VALVE WITH 5" X 5" SENSOR PLATE (BATTERY POWER)</b> |                                                           |               |
|--------------------------------------------------------------------------------------------------|-----------------------------------------------------------|---------------|
| HB8CRFKC-C                                                                                       | 1.6GPF(CONCEALED RETROFIT SLOAN & ZURN)                   | <b>354.61</b> |
| HB8CRFKC-U                                                                                       | 10GPF(CONCEALED RETROFIT SLOAN & ZURN)                    | <b>354.61</b> |
| HB8CRFKC-16DF                                                                                    | 1.6/1.0GPF "DUAL FLUSH"(CONCEALED RETROFIT SLOAN & ZURN)  | <b>374.68</b> |
| HB8CRFKC-1.28DF                                                                                  | 1.28/1.0 GPF"DUAL FLUSH"(CONCEALED RETROFIT SLOAN & ZURN) | <b>374.68</b> |
| HB8CRFKC-1.28GPF                                                                                 | 1.28GPF(CONCEALED RETROFIT SLOAN & ZURN)                  | <b>354.61</b> |
| HB8CRFKC-05GPF                                                                                   | 0.5GPF(CONCEALED RETROFIT SLOAN & ZURN)                   | <b>354.61</b> |
| HB8CRFKC-025GPF                                                                                  | 0.25GPF(CONCEALED RETROFIT SLOAN & ZURN)                  | <b>354.61</b> |
| HB8CRFKC-0125GPF                                                                                 | 0125GPF (CONCEALED RETROFIT SLOAN & ZURN)                 | <b>354.61</b> |

| <b>CONCEALED FLUSH VALVES (BATTERY POWERED) - "WATER CONSERVATION MODELS"</b> |                                                                       |               |
|-------------------------------------------------------------------------------|-----------------------------------------------------------------------|---------------|
| <b>BACK SPUD</b>                                                              |                                                                       |               |
| HB8CB-16DF                                                                    | 1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Back Spud       | 474.21        |
| HB8CB-128DF                                                                   | 1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Back Spud      | 474.21        |
| HB8CB-128                                                                     | 1.28 GPF Closet, 1" Stop and 1-1/2" Back Spud                         | 439.09        |
| HB8D1B-05                                                                     | 0.5 GPF Urinal, 3/4" Stop and 3/4" Back Spud                          | 439.09        |
| HB8D1B-025                                                                    | 0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud  | 439.09        |
| HB8D1B-0125                                                                   | 0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud | 439.09        |
| HB8D2B-05                                                                     | 0.5 GPF Urinal, 1" Stop and 1-1/4" Back Spud                          | 439.09        |
| HB8D2B-025                                                                    | 0.25 GPF (1/4 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud  | 439.09        |
| HB8D2B-0125                                                                   | 0.125 GPF (1/8 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud | 439.09        |
| <b>TOP SPUD</b>                                                               |                                                                       |               |
| HB8CT-16DF                                                                    | 1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud        | <b>498.68</b> |
| HB8CT-128DF                                                                   | 1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud       | <b>498.68</b> |
| HB8CT-128                                                                     | 1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud                          | <b>466.52</b> |
| HB8D1T-05                                                                     | 0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud                           | <b>466.52</b> |
| HB8D1T-025                                                                    | 0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud  | <b>466.52</b> |
| HB8D1T-0125                                                                   | 0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud | <b>466.52</b> |
| HB8D2T-05                                                                     | 0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud                           | <b>466.52</b> |
| HB8D2T-025                                                                    | 0.25 GPF (1/4 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud  | <b>466.52</b> |
| HB8D2T-0125                                                                   | 0.125 GPF (1/8 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud | <b>466.52</b> |

| <b>CONCEALED FLUSH VALVES (BATTERY POWERED) - WITH 13" X 17" WALL BOX AND S.S. ACCESS PANEL</b> |                                                                           |               |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|---------------|
| <b>BACK SPUD</b>                                                                                |                                                                           |               |
| HB-8000C-CB-WB                                                                                  | 1.6 GPF Closet, 1" Stop and 1-1/2" Back Spud with Wall Box                | <b>647.68</b> |
| HB8CB-128-WB                                                                                    | 1.28GPF Closet, 1" Stop and 1-1/2" Back Spud, With Wall Box               | <b>647.68</b> |
| HB8CB-16DF-WB                                                                                   | 1.6/1.0 "Dual Flush" Closet, 1" Stop and 1-1/2" Back Spud with Wall Box   | <b>676.68</b> |
| HB8128DF-WB                                                                                     | 1.28/1.0 "Dual Flush" Closet, 1" Stop and 1-1/2" Back Spud, With Wall Box | <b>676.68</b> |
| HB-8000C-D1B-WB                                                                                 | 1.0 GPF Urinal, 3/4" Stop and 3/4" Back Spud with Wall Box                | <b>647.68</b> |
| HB8-D1B-05-WB                                                                                   | 0.5GPF Urinal, 3/4" Stop and 3/4" Back Spud With Wall Box                 | <b>647.68</b> |
| HB8-D1B-0125-WB                                                                                 | 0.125GPF Urinal, 3/4" Stop and 3/4" Back Spud With Wall Box               | <b>647.68</b> |

|                        |                                                                                  |               |
|------------------------|----------------------------------------------------------------------------------|---------------|
| HB-8000C-D2B-WB        | 1.0 GPF Urinal, 1" Stop and 1-1/4" Back Spud with Wall Box                       | <b>647.68</b> |
| <b>TOP SPUD</b>        |                                                                                  |               |
| HB-8000C-CT-WB         | 1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud with Wall Box                        | <b>676.68</b> |
| <b>HB8CT-128-WB</b>    | <b>1.28GPF Closet, 1" Stop and 1-1/2" Top Spud, with Wall Box</b>                | <b>676.68</b> |
| <b>HB8CT-16DF-WB</b>   | <b>1.6/1.0 "Dual FLUSH" closet, 1" Stop and 1-1/2" Top Spud, with Wall Box</b>   | <b>676.68</b> |
| <b>HB8CT-128DF-WB</b>  | <b>1.28/1.0 "DUAL FLUSH", Closet, 1" Stop and 1-1/2" Top Spud, with Wall Box</b> | <b>676.68</b> |
| HB-8000C-D1T-WB        | 1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud with Wall Box                        | <b>676.68</b> |
| <b>HB8-D1T-05-WB</b>   | <b>0.5GPF Urinal, 3/4" Stop and 3/4" Top Spud, with Wall Box</b>                 | <b>676.68</b> |
| <b>HB8-D1T-0125-WB</b> | <b>0.125GPF Urinal, 3/4" Stop and Top Spud, with Wall Box</b>                    | <b>676.68</b> |
| HB-8000C-D2T-WB        | 1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud with Wall Box                        | <b>676.68</b> |

**BATTERY & SOLAR POWERED RETROFIT FLUSH VALVES****LIST EA.****RETROFIT FLUSH VALVES (BATTERY POWERED)**

|            |                                                 |        |
|------------|-------------------------------------------------|--------|
| HB8RFKC-C  | 1.6 GPF Closet (Retrofit Sloan, Toto, and Zurn) | 354.61 |
| HB8RFKC-U  | 1.0 GPF Urinal (Retrofit Sloan, Toto, and Zurn) | 354.61 |
| HB8RFKC-CD | 1.6 GPF Closet (Retrofit Delany)                | 354.61 |
| HB8RFKC-UD | 1.0 GPF Urinal (Retrofit Delany)                | 354.61 |

**RETROFIT FLUSH VALVES (SOLAR POWERED WITH DC BACKUP)**

|            |                                                 |        |
|------------|-------------------------------------------------|--------|
| HB8RSLE-C  | 1.6 GPF Closet (Retrofit Sloan, Toto, and Zurn) | 382.98 |
| HB8RSLE-U  | 1.0 GPF Urinal (Retrofit Sloan, Toto, and Zurn) | 382.98 |
| HB8RSLE-CD | 1.6 GPF Closet (Retrofit Delany)                | 382.98 |
| HB8RSLE-UD | 1.0 GPF Urinal (Retrofit Delany)                | 382.98 |

**RETROFIT FLUSH VALVES (BATTERY POWERED) - "WATER CONSERVATION MODELS"**

|             |                                                                          |        |
|-------------|--------------------------------------------------------------------------|--------|
| HB8-R16DF   | 1.6 / 1.0 GPF "Dual Flush" Closet (Retrofit Sloan, Toto, and Zurn)       | 382.98 |
| HB8-R128DF  | 1.28 / 1.0 GPF "Dual Flush" Closet (Retrofit Sloan, Toto, and Zurn)      | 382.98 |
| HB8-R128    | 1.28 GPF Closet (Retrofit Sloan, Toto, and Zurn)                         | 354.61 |
| HB8-R05     | 0.5 GPF Urinal (Retrofit Sloan, Toto, and Zurn)                          | 354.61 |
| HB8-R025    | 0.25 GPF (1/4 Gallon per Flush) Urinal (Retrofit Sloan, Toto, and Zurn)  | 354.61 |
| HB8-R0125   | 0.125 GPF (1/8 Gallon per Flush) Urinal (Retrofit Sloan, Toto, and Zurn) | 354.61 |
| HB8-R16DFD  | 1.6 / 1.0 GPF "Dual Flush" Closet (Retrofit Delany)                      | 382.98 |
| HB8-R128DFD | 1.28 / 1.0 GPF "Dual Flush" Closet (Retrofit Delany)                     | 382.98 |
| HB8-R128D   | 1.28 GPF Closet (Retrofit Delany)                                        | 354.61 |
| HB8-R05D    | 0.5 GPF Urinal (Retrofit Delany)                                         | 354.61 |

**RETROFIT FLUSH VALVES (SOLAR POWERED WITH DC BACKUP) - "WATER CONSERVATION MODELS"**

|                |                                                                          |        |
|----------------|--------------------------------------------------------------------------|--------|
| HB8SLE-R16DF   | 1.6 / 1.0 GPF "Dual Flush" Closet (Retrofit Sloan, Toto, and Zurn)       | 382.98 |
| HB8SLE-R128DF  | 1.28 / 1.0 GPF "Dual Flush" Closet (Retrofit Sloan, Toto, and Zurn)      | 382.98 |
| HB8SLE-R128    | 1.28 GPF Closet (Retrofit Sloan, Toto, and Zurn)                         | 382.98 |
| HB8SLE-R05     | 0.5 GPF Urinal (Retrofit Sloan, Toto, and Zurn)                          | 382.98 |
| HB8SLE-R025    | 0.25 GPF (1/4 Gallon per Flush) Urinal (Retrofit Sloan, Toto, and Zurn)  | 382.98 |
| HB8SLE-R0125   | 0.125 GPF (1/8 Gallon per Flush) Urinal (Retrofit Sloan, Toto, and Zurn) | 382.98 |
| HB8SLE-R16DFD  | 1.6 / 1.0 GPF "Dual Flush" Closet (Retrofit Delany)                      | 382.98 |
| HB8SLE-R128DFD | 1.28 / 1.0 GPF "Dual Flush" Closet (Retrofit Delany)                     | 382.98 |
| HB8SLE-R128D   | 1.28 GPF Closet (Retrofit Delany)                                        | 382.98 |
| HB8SLE-R05D    | 0.5 GPF Urinal (Retrofit Delany)                                         | 382.98 |

**BATTERY POWERED SHOWERS****LIST EA.****AUTOMATIC SHOWER (BATTERY POWERED)**

|          |                  |               |
|----------|------------------|---------------|
| HB-9000C | Automatic Shower | <b>436.68</b> |
|----------|------------------|---------------|

**FAUCETS - COMPONENT PARTS & ASSEMBLIES****LIST EA.****AERATOR & FLOW CONTROL**

|                |                                                           |      |
|----------------|-----------------------------------------------------------|------|
| HB-003MVR-0.35 | Laminar Flow Control - 0.35 GPM - Male - Vandal Resistant | 7.95 |
| HB-003MVR-1.5  | Laminar Flow Control - 1.5 GPM - Male - Vandal Resistant  | 7.95 |

|                            |                                                                               |             |
|----------------------------|-------------------------------------------------------------------------------|-------------|
| HB-003AMVR                 | Laminar Flow Control - 0.5 GPM - Male - Vandal Resistant                      | 7.95        |
| HB-003AFVR                 | Laminar Flow Control - 0.5 GPM - Female - Vandal Resistant                    | 7.95        |
| HB-003BMVR                 | Laminar Flow Control - 1.0 GPM - Male - Vandal Resistant                      | 7.95        |
| HB-003CMVR                 | Laminar Flow Control - 2.2 GPM - Male - Vandal Resistant                      | 8.15        |
| HB-003DFVR                 | Laminar Flow Control - 2.2 GPM - Female - Vandal Resistant                    | 8.15        |
| HB-003EF                   | Laminar Flow Control - 1.5 GPM - Female                                       | 6.95        |
| HB-003F                    | Laminar Flow Control - 2.0 GPM - Female                                       | 6.95        |
| HB-003GF                   | Laminar Flow Control - 2.2 GPM - Female                                       | 6.95        |
| <b>HB-003IS 0.5-2.2GPM</b> | <b>Laminar Flow control Inserts, choose the flow rate from 0.5 to 2.2 GPM</b> | <b>2.68</b> |
| HB-003M                    | Soft Flow Aerator - 1.5 GPM - Male                                            | 5.95        |
| <b>HB-003MJVR-1.0GPM</b>   | <b>Laminar Flow Control - 1.0 GPM - Male, Junior Size, 2710 &amp; 2730</b>    | <b>5.95</b> |
| <b>HB-003MJVR-0.5GPM</b>   | <b>Laminar Flow Control - 0.5 GPM - Male, Junior Size, 2710 &amp; 2730</b>    | <b>5.95</b> |
| HB-004F                    | Laminar Rose Spray Flow Control - 2.2 GPM - Female                            | 20.95       |

**BATTERY & BATTERY HOLDER**

|          |                                            |       |
|----------|--------------------------------------------|-------|
| HCB-001  | 6V DC Lithium Battery                      | 16.55 |
| HCC-006  | AC to DC Faucet Conversion Kit             | 16.14 |
| HCC-103  | Battery Holder With 4 AA Batteries         | 13.52 |
| HCC-103A | Battery Holder Only (for C-Series Faucets) | 7.59  |
| HCC-103B | <b>Battery Holder For (7000 and 4100)</b>  | 7.59  |
| HB7-001  | Solar Cell Assembly (HB-7000SLE, SLEM)     | 51.64 |

**CONTROL BOXES**

|                  |                                                                             |               |
|------------------|-----------------------------------------------------------------------------|---------------|
| HCB-003B         | Stainless Steel Control Box Assembly (HB-3000, 4000)                        | 204.85        |
| HCB-003C         | Rubber Seal for S.S. Control Box                                            | 6.28          |
| HCB-003D         | Vandal Resistant Screws for S.S. Control Box                                | 2.26          |
| HCC-003A         | Control Box Assembly (H-1000C, 2603C, 6000C, 6700C) *Specify Model*         | 281.50        |
| HCC-003B         | Control Box Assembly (HB-1000C, 2603C, 6000C, 6700C) *Specify Model*        | 281.50        |
| <b>H27-0003E</b> | <b>Control Box Assembly (HB-1000C, 2603C, 6000C, 6700C) *Specify Model*</b> | <b>262.60</b> |
| HCC-003D         | Vandal Resistant Screws for C-Series Control Box                            | 2.16          |
| HCC-003E         | Wrench for Vandal Resistant Screws (HCC-003D)                               | 2.01          |
| HCC-004A         | Control Box Assembly with Control Module (H-3000C, 4000C)                   | 190.49        |
| HCC-004B         | Control Box Assembly with Control Module (HB-3000C, 4000C)                  | 190.49        |
| HCC-004C         | Control Box & Cover w/o Power Supply or Control Module (H/HB-3000C, 4000C)  | 42.01         |

**CONTROL MODULES**

|                 |                                                                              |               |
|-----------------|------------------------------------------------------------------------------|---------------|
| HC-012B         | Control Module (H-2000, 2603)                                                | 133.08        |
| HC-013B         | Control Module (H-3000, 4000, 6000, 6700)                                    | 133.08        |
| HCB-012         | Control Module (HB-1000, 2000, 2603, 3000, 4000, 6000, 6700) *Specify model* | 173.22        |
| HCC-011A        | Control Module (H-1000C, 2603C, 3000C, 4000C, 6000C, 6700C) *Specify model*  | 167.71        |
| HCC-011B        | Control Module (HB-1000C, 2603C, 3000C, 4000C, 6000C, 6700C) *Specify model* | 167.71        |
| <b>H27-003</b>  | <b>Control Module (HE-2710 &amp; 2730) *Specify model*</b>                   | <b>120.49</b> |
| HCE-007A        | Control Module & Sensor (H-7000E/EM)                                         | 163.70        |
| HCE-007B        | Control Module & Sensor (HB-7000E/EM)                                        | 163.70        |
| HCE-018A        | Control Module & Sensor (H-5000E/EM)                                         | 187.40        |
| HCE-018B        | Control Module & Sensor & Battery Holder (HB-5000E/EM)                       | 187.40        |
| <b>H41-005A</b> | <b>4100 Control Module &amp; Sensor AC</b>                                   | <b>163.70</b> |
| HB7-004         | Solar Control Module & Sensor (HB-7000SLE/SLEM)                              | 163.70        |
| <b>H41-005B</b> | <b>4100 Control Module &amp; Sensor Battery</b>                              | <b>163.70</b> |

**COVER PLATES, CHROME PLATED BRASS**

|         |                                                                          |       |
|---------|--------------------------------------------------------------------------|-------|
| HC-006E | 4" Cover Plate w/ Mounting Kit (H/HB-2603C, 6000C, 6700C)                | 27.26 |
| HC-006F | 8" Cover Plate w/ Mounting Kit (H/HB-2603C, 6000C, 6700C)                | 41.67 |
| HC-006G | 8" Cover Plate w/ Mounting Kit (H/HB-1000C)                              | 41.67 |
| HC-006H | 4" Cover Plate w/ Mounting Kit (H/HB-3000C, 4000C, 4000C-SD)             | 27.26 |
| HC-006J | 8" Cover Plate w/ Mounting Kit (H/HB-3000C, 4000C, 4000C-SD)             | 41.67 |
| HC-006K | 4" Cover Plate w/ Mounting Kit (H/HB-5000E/EM, 7000E/EM/SLE/SLEM, 4100C) | 27.26 |
| HC-006L | 8" Cover Plate w/ Mounting Kit (H/HB-5000E/EM, 7000E/EM/SLE/SLEM, 4100C) | 41.67 |

**FILTER, IN-LINE**

|         |                                                                                |       |
|---------|--------------------------------------------------------------------------------|-------|
| HC-009A | In-Line Filter/Check Valve (H/HB-3000, 4000, 3000C, 4000C, 5000E/EM, 7000E/EM) | 43.86 |
|---------|--------------------------------------------------------------------------------|-------|

|         |                                                                     |       |
|---------|---------------------------------------------------------------------|-------|
| HC-009B | In-Line Filter w/o Check (All except H/HB-3000(C),4000(C),5000E/EM) | 32.69 |
| HC-020  | Filter Screen                                                       | 4.89  |
| HC-040  | Nylon Washer for In-Line Filters                                    | 0.22  |
| HB7-008 | Diaphragm Release Valve (H/HB-7000E/EM/SLE/SLEM)                    | 8.72  |

**HANDLES & TEMPERATURE ADJUSTMENT ASSEMBLIES**

|                |                                                          |              |
|----------------|----------------------------------------------------------|--------------|
| HC-029         | Wrist Blade Handle                                       | 45.61        |
| HC-029L        | Left Handle (Solenoid Cover)                             | 31.08        |
| HC-029R        | Right Handle (Manual Control)                            | 35.92        |
| HC-027A        | Temperature Adjuster Rod Assembly                        | 79.13        |
| HC-078         | O-Ring Kit, Temperature Adjuster Rod Assembly            | 16.33        |
| HCE-028        | Temperature Adjuster Assembly (H/HB-5000EM)              | 51.43        |
| HCE-029        | Temperature Adjustment Handle Assembly                   | 20.63        |
| HCE-030        | Temperature Adjuster Assembly (H/HB-7000EM/SLEM)         | 51.43        |
| <b>H41-002</b> | <b>Ceramic Cartridge for H4100 Hot &amp; cold Handle</b> | <b>51.43</b> |

**MOUNTING KITS**

|         |                                                                |       |
|---------|----------------------------------------------------------------|-------|
| HC-015  | Mounting Kit (H/HB-1000,1000C)                                 | 13.79 |
| HC-015A | Mounting Kit (H/HB-2000)                                       | 12.73 |
| HC-015B | Mounting Kit (H/HB-3000,4000;3000C,4000C)                      | 17.79 |
| HC-015C | Mounting Kit (H/HB-2603,6000B,6700;2603C,5000E/EM,6000C,6700C) | 17.83 |
| HC-015D | Mounting Kit (H/HB-7000E/EM/SLE/SLEM,4100CLR)                  | 13.79 |

**POWER ADAPTERS, SINGLE FAUCET & MULTI-UNIT PLUG-IN**

|          |                                                                             |       |
|----------|-----------------------------------------------------------------------------|-------|
| HC-008A  | 12V DC Plug-In Adapter                                                      | 41.34 |
| HCB-008C | DC to AC Converter Kit                                                      | 41.34 |
| HCC-008B | 12V DC Plug-In Adapter (C-Series)                                           | 41.34 |
| HCE-008  | 7.5V DC Plug-In Adapter (H/HB-5000E/EM,7000E/EM/SLE/SLEM)                   | 34.25 |
| HC-010   | Multi-Unit Power Adapter (8 units total)                                    | 89.25 |
| HC-0104  | Multi-Unit Power Adapter (4 units total)                                    | 63.84 |
| HC-010E  | Multi-Unit Power Adapter (H/HB-5000E/EM,7000E/EM/SLE/SLEM)                  | 89.25 |
| HCC-008P | Pigtail Lead with Armored Shield Cable - 24" L (C-Series)                   | 16.98 |
| HCE-008P | Pigtail Lead with Armored Shield Cable - 24" L (5000E/EM,7000E/EM/SLE/SLEM) | 16.98 |

**SENSOR EYES**

|                |                                                                   |              |
|----------------|-------------------------------------------------------------------|--------------|
| HC-011         | Sensor Eyes with PCB (H-1000)                                     | 146.39       |
| HC-012A        | Sensor Eyes and Cable (H-2000,2603,6000B,6700)                    | 57.21        |
| HC-013A        | Sensor Eyes and Cable (H-3000,4000)                               | 57.21        |
| HC-014A        | Sensor Eyes and Cable (H-6000B)                                   | 70.88        |
| HC-016         | Sensor Eyes w/ Control Module & Wall Cover Plate (H-9000)         | 175.69       |
| HCB-011        | Sensor Eyes and Cable (HB-1000)                                   | 75.92        |
| HCB-011A       | Sensor Eyes and Cable (HB-2000,2603)                              | 75.92        |
| HCB-011B       | Sensor Eyes and Cable (HB-3000,4000)                              | 75.92        |
| HCB-011C       | Sensor Eyes and Cable (HB-6000B)                                  | 75.92        |
| HCB-011D       | Sensor Eyes and Cable (HB-6000A,6700)                             | 72.33        |
| <b>H27-004</b> | <b>Sensor Eyes and Cable (HE-2710 &amp; 2730) *Specify Model*</b> | <b>64.35</b> |
| HCB-109        | Sensor Eyes w/ Control Module & Wall Cover Plate (HB-9000)        | 202.72       |
| HCC-030        | Sensor Eyes and Cable (H/HB-1000C)                                | 83.73        |
| HCC-031        | Sensor Eyes and Cable (H/HB-2603C,6000C)                          | 83.73        |
| HCC-032        | Sensor Eyes and Cable (H/HB-3000C,4000C)                          | 83.73        |
| HCC-033        | Sensor Eyes and Cable (H/HB-6700C)                                | 83.73        |
| HCC-090E       | Sensor Eyes and Cable Shower (H/HB-9000C)                         | 83.73        |

**SOLENOID VALVE - REBUILD KITS & PARTS**

|          |                                                        |              |
|----------|--------------------------------------------------------|--------------|
| HC-005   | Solenoid Valve (H-1000,2000,2603,6000B,6700)           | <b>87.68</b> |
| HC-005A  | Control Disc (for HC-005 Solenoid Valve)               | <b>16.83</b> |
| HC-017A  | Solenoid Valve Repair Kit (for HC-005 Solenoid Valve)  | <b>31.98</b> |
| HC-017B  | Solenoid Valve Repair Kit (H-3000,4000)                | <b>32.98</b> |
| HC-019   | Coil Module (for HC-005 Solenoid Valve)                | <b>38.68</b> |
| HCB-005  | Solenoid Valve (HB-1000,2000,2603,6000B,6700)          | 155.12       |
| HCB-005A | Control Disc (for HCB-005 and HCC-005 Solenoid Valves) | <b>16.83</b> |
| HCB-017A | Solenoid Valve Repair Kit (1000C,2603C,6000C,6700C)    | <b>31.98</b> |



|                |                                                                                  |               |
|----------------|----------------------------------------------------------------------------------|---------------|
| HCB-017B       | Solenoid Valve Repair Kit (3000C,4000C)                                          | <b>32.98</b>  |
| HCB-019        | Coil Module (for HCB-005 Solenoid Valve)                                         | 120.27        |
| HCC-005        | Complete Solenoid Valve Assembly (1000C,2603C,6000C,6700C)                       | 171.01        |
| <b>H27-011</b> | <b>Complete Solenoid Valve Assembly (1000C,2603C,6000C,6700C)</b>                | <b>152.07</b> |
| HCC-019        | Coil Module (for HCC-005 Solenoid Valve)                                         | 120.27        |
| <b>H27-08</b>  | <b>Solenoid Coil &amp; Pressure relief Valve(2710 &amp; 2730)*Specify Model*</b> | <b>90.67</b>  |
| HCE-004        | Solenoid Module, without Solenoid Coil (5000E/EM)                                | 75.88         |
| HCE-019        | Solenoid Coil, without Solenoid Module (5000E/EM,7000E/EM/SLE/SLEM)              | 75.88         |
| HCE-020        | Pressure Release Valve (7000E/EM/SLE/SLEM)                                       | 38.04         |
| <b>H41-004</b> | <b>Pressure Release Valve &amp; solenoid coil for H4100</b>                      | <b>81.68</b>  |

|         |                                                            |        |
|---------|------------------------------------------------------------|--------|
| HCE-194 | Solenoid Module and Solenoid Coil (5000E/EM)               | 132.67 |
| HB7-006 | Solenoid Coil, without Solenoid Module (7000E/EM/SLE/SLEM) | 75.88  |

**SPOUTS (FOR ALL GOOSENECK FAUCETS)**

|                |                                                                |              |
|----------------|----------------------------------------------------------------|--------------|
| HC-007A        | <b>6" Gooseneck Spout With Laminar Flow Control</b>            | 41.78        |
| <b>H41-001</b> | <b>Gooseneck Spout with Laminar Flow Control for 4100</b>      | <b>41.78</b> |
| HC-007E        | <b>6" 45-degree Swing Gsnk Spout With Laminar Flow Control</b> | 32.53        |
| HC-007F        | <b>8" 45-degree Swing Gsnk Spout With Laminar Flow Control</b> | 39.79        |
| HC-007G        | <b>8" Gooseneck Spout with Laminar Flow Control</b>            | 52.68        |

**SUPPLY TUBES**

|         |                                                                     |       |
|---------|---------------------------------------------------------------------|-------|
| HC-025A | Copper Supply Tube (H/HB-1000)                                      | 18.60 |
| HC-025B | Flexible Supply Tube (H/HB-2000,2603,6000B)                         | 13.79 |
| HC-025C | Flexible Supply Tube (H/HB-3000,4000;3000C,4000C,7000E/EM/SLE/SLEM) | 13.79 |
| HC-025E | Flexible Supply Tube (H/HB-6000A)                                   | 13.79 |
| HC-025F | 3/8" Rigid Copper Supply Tube (All except H/HB-6700,6700C)          | 4.80  |
| HCE-026 | Flexible Supply Tube (H/HB-5000E/EM)                                | 18.39 |
| HB7-027 | Flexible Supply Tube (H/HB-7000E/EM/SLE/SLEM)                       | 12.25 |

**VALVES - MECHANICAL MIXING W/ CHECKS & THERMOSTATIC W/ CHECKS**

|           |                                                                 |        |
|-----------|-----------------------------------------------------------------|--------|
| HC-001-LR | Mechanical Mixing/Check Valve - 3/8" Compression                | 51.67  |
| HC-002    | Check Valve/Back Flow Preventor                                 | 18.04  |
| HC-002A   | Check Valve Repair Kit for HC-002 (Orange Duckbill)             | 5.04   |
| HC-003    | Mixing "T" with Checks                                          | 19.97  |
| HBL-03    | Thermostatic, Anti-Scald Mixing Valve - 3/8" In/Out with Checks | 121.65 |
| HBL-04-LR | Thermostatic, Anti-Scald Mixing Valve - 3/8" In/Out with Checks | 155.05 |

**FLUSH VALVES - COMPONENT PARTS & ASSEMBLIES****LIST EA.****BATTERIES & BATTERY HOLDER**

|          |                                                                 |       |
|----------|-----------------------------------------------------------------|-------|
| HCB-001  | 6V DC Lithium Battery                                           | 16.55 |
| HCC-002  | 1.5V DC AA Alkaline Battery (HB8RFKC, HB-8000C) *4 req. per FV* | 1.15  |
| HCB-104  | Battery Holder (HB8RFK, HB-8000)                                | 10.44 |
| HCC-104A | Battery Holder (HB8RFKC, HB-8000C) *2 req. per FV*              | 6.00  |

**BODY & COMPONENTS**

|         |                                                     |        |
|---------|-----------------------------------------------------|--------|
| HC-088  | Back Cover Nut                                      | 12.00  |
| HC-089  | Manual Push Button Assembly                         | 43.65  |
| HC-090  | Flush Valve Body, Bare (H/HB-8000, 8000C)           | 192.54 |
| HC-096  | Cable/Tube with Nuts and Ferrules (H-8000, H-8000C) | 22.58  |
| HC-100  | Axis with Axis Rubber (H/HB-8000)                   | 5.86   |
| HC-100A | Axis Rubber (for HC-100)                            | 1.16   |
| HCC-100 | Axis (H/HB-8000C)                                   | 5.87   |
| HCC-102 | Control Disc (H/HB-8000C)                           | 46.08  |

**CONTROL MODULES**

|          |                                                        |        |
|----------|--------------------------------------------------------|--------|
| HCC-080A | Control Module (H-8000C) **Closet or Urinal?           | 167.71 |
| HCC-080B | Control Module (HB8RFKC, HB-8000C) **Closet or Urinal? | 167.71 |

**FLUSH TUBE & VACUUM BREAKER**

|            |                                                                |       |
|------------|----------------------------------------------------------------|-------|
| HC-086     | Vacuum Breaker Replacement Kit (w/ rubber & friction ring)     | 6.13  |
| HC-086A    | Flush Tube, Closet, 1-1/2" Top Spud x 8-1/2" L w/ Vac. Breaker | 14.75 |
| HC-086A-24 | Flush Tube, Closet, 1-1/2" Top Spud x 24" L w/ Vac. Breaker    | 37.00 |
| HC-086B    | Flush Tube, Urinal, 3/4" Top Spud x 8-1/2" L w/ Vac. Breaker   | 14.75 |
| HC-086B-24 | Flush Tube, Urinal, 3/4" Top Spud x 24" L w/ Vac. Breaker      | 37.00 |
| HC-086C    | Flush Tube, Urinal, 1-1/4" Top Spud x 8-1/2" L w/ Vac. Breaker | 14.75 |
| HC-086SRPS | Split Ring Pipe Support                                        | 31.63 |

**NIPPLE, STOP VALVES**

|             |                                                     |       |
|-------------|-----------------------------------------------------|-------|
| HC-083      | Delany Adapter Nipple 2-1/4" L (HB8RFK, HB8RFKC)    | 21.22 |
| HC-083-1.75 | Delany Adapter Nipple 1-3/4" L (HB8RFK, HB8RFKC)    | 23.35 |
| HC-083-2.75 | Delany Adapter Nipple 2-3/4" L (HB8RFK, HB8RFKC)    | 23.35 |
| HC-083-3.25 | Delany Adapter Nipple 3-1/4" L (HB8RFK, HB8RFKC)    | 25.48 |
| HC-083-3.75 | Delany Adapter Nipple 3-3/4" L (HB8RFK, HB8RFKC)    | 27.59 |
| HC-083-4.25 | Delany Adapter Nipple 4-1/4" L (HB8RFK, HB8RFKC)    | 29.72 |
| HC-083A     | Nipple - Standard 2-1/8" L (all Flush Valve Models) | 16.40 |
| HC-083B     | Nipple - Standard 2-1/2" L (all Flush Valve Models) | 16.40 |
| HC-083C     | Nipple - Standard 2-7/8" L (all Flush Valve Models) | 16.40 |
| HC-083D     | Nipple - Standard 3-1/2" L (all Flush Valve Models) | 17.40 |
| HC-083E     | Nipple - Standard 4" L (all Flush Valve Models)     | 19.33 |
| HC-083F     | Nipple - Standard 4-1/2" L (all Flush Valve Models) | 21.63 |
| HC-083G     | Nipple - Standard 5" L (all Flush Valve Models)     | 23.39 |
| HC-083H     | Nipple - Standard 5-1/2" L (all Flush Valve Models) | 25.75 |
| HC-083J     | Nipple - Standard 6" L (all Flush Valve Models)     | 28.30 |
| HC-083K     | Nipple - Standard 1-1/2" L (all Flush Valve Models) | 12.75 |

**POWER ADAPTER**

|          |                                                     |              |
|----------|-----------------------------------------------------|--------------|
| HCC-008C | Plug-In Power Adapter without Output Plug (H-8000C) | <b>38.58</b> |
|----------|-----------------------------------------------------|--------------|

**SECURITY SCREWS (FOR HB8RFKC & H/HB-8000C)**

|          |                                          |       |
|----------|------------------------------------------|-------|
| HCC-085A | Security Screws for Top Cap (Pkg. of 10) | 14.86 |
| HCC-085B | Security Screw Wrench                    | 2.13  |

**SENSOR EYES**

|          |                                                                            |        |
|----------|----------------------------------------------------------------------------|--------|
| HC-080   | Sensor Eyes & Control Module Assembly (H-8000) <i>**Closet or Urinal?</i>  | 153.65 |
| HC-080   | Sensor Eyes & Control Module Assembly (HB-8000) <i>**Closet or Urinal?</i> | 165.30 |
| HCC-080E | Sensor Eye & Cable (HB8RFKC, H/HB-8000C)                                   | 71.67  |

**SOLENOID VALVE / VALVE PARTS / REPAIR KITS**

|             |                                                  |              |
|-------------|--------------------------------------------------|--------------|
| HC-087      | Valve Seat, Solenoid (H-8000)                    | 52.64        |
| HC-098      | Coil Module, Solenoid (H-8000)                   | <b>43.68</b> |
| HC-106      | Repair Kit, Solenoid Valve (H-8000)              | <b>41.68</b> |
| HCB-087     | Valve Seat, Solenoid (HB-8000)                   | 52.64        |
| HCB-098     | Coil Module, Solenoid (HB-8000)                  | 120.27       |
| HCB-106     | Repair Kit, Solenoid Valve (HB-8000)             | <b>41.68</b> |
| HCB-106 AMC | Repair Kit, Solenoid Valve (HB-8000)             | <b>41.68</b> |
| HCC-087     | Valve Seat, Solenoid (HB8RFKC, H/HB-8000C)       | 52.64        |
| HCC-098     | Solenoid Coil Module (HB8RFKC, H/HB-8000C)       | 120.27       |
| HCC-106     | Repair Kit, Solenoid Valve (HB8RFKC, H/HB-8000C) | <b>41.68</b> |

**STOP VALVE, ANGLE**

|         |                               |       |
|---------|-------------------------------|-------|
| HC-082A | Angle Stop - 3/4"             | 41.13 |
| HC-082B | Angle Stop - 1"               | 41.13 |
| HC-082C | Repair Kit - Angle Stop Valve | 8.36  |

**SWEAT KIT**

|                |                                         |              |
|----------------|-----------------------------------------|--------------|
| HC-084         | Sweat Kit - 3/4"                        | 12.71        |
| <b>HC-084F</b> | <b>METAL FLANGE 3/4" CP W/SET SCREW</b> | <b>12.71</b> |

|                |                                       |              |
|----------------|---------------------------------------|--------------|
| HC-084B        | Sweat Kit - 1"                        | 14.50        |
| <b>HC-084F</b> | <b>METAL FLANGE 1" CP W/SET SCREW</b> | <b>12.71</b> |

**TOP CAP & TOP CAP ASSEMBLY**

|            |                                                                   |        |
|------------|-------------------------------------------------------------------|--------|
| HC-081     | Top Cap Nut Assembly (HB8RFKC, H/HB-8000)                         | 40.76  |
| HC-085     | Chrome Plated Top Cap Cover (H-8000)                              | 32.26  |
| HC-092A    | Top Cap Assembly (H-8000)                                         | 275.75 |
| HCC-088A   | Chrome Plated Top Cap (H-8000C)                                   | 48.37  |
| HCC-088B   | Chrome Plated Top Cap (HB8RFKC, HB-8000C)                         | 38.72  |
| HCC-085F   | AC Input Tube Flange with Set Screws (C-Series)                   | 11.81  |
| HCC-085T   | AC Input Tube (C-Series)                                          | 12.58  |
| HCC-092B   | Top Cap Assem. (HB8RFKC, H/HB-8000C) <i>**Flow rate? AC/Batt?</i> | 255.68 |
| HCC-092SLE | Solar Top Cap Conversion Kit (HB8RFKC, H/HB-8000C)                | 224.56 |

**TOP SPUD ASSEMBLY**

|         |        |       |
|---------|--------|-------|
| HC-093A | 3/4"   | 10.73 |
| HC-093B | 1-1/4" | 10.73 |
| HC-093C | 1-1/2" | 10.73 |

**TRAP PRIMER**

|         |                                                             |       |
|---------|-------------------------------------------------------------|-------|
| HC-086D | Trap Primer Assembly with Vacuum Breaker (11-1/2" Rough In) | 69.90 |
|---------|-------------------------------------------------------------|-------|

**WALL BOX**

|        |                                                      |        |
|--------|------------------------------------------------------|--------|
| HC-200 | Wall Box with Access Panel for Concealed Flush Valve | 242.00 |
|--------|------------------------------------------------------|--------|

**WALL PLATE**

|                     |                                                                 |               |
|---------------------|-----------------------------------------------------------------|---------------|
| HCC-080C            | 7" x 7" Wall Plate without Button (for Concealed Urinal)        | 260.60        |
| HCC-080CVRB         | 7" x 7" Wall Plate with Button (for Concealed Closet)           | 285.14        |
| HCC-009PP           | 7" x 7" Wall Plate without Sensor Eye & Cable (Shower)          | 16.89         |
| <b>HCC-009C</b>     | <b>7" x 7" Wall Plate with Sensor Eye &amp; Cable (Shower)</b>  | <b>118.68</b> |
| HC-080C             | 7" x 7" Wall Plate with Sensor Module for H-8000 for DC Airport | 169.83        |
| HCC-008PP           | <b>5" x 5" Wall Plate</b>                                       | <b>13.38</b>  |
| HCC-008PE           | <b>5" x 5" Wall Plate With Sensor Eye</b>                       | <b>101.20</b> |
| PC-011-04B          | Old Style Green Button for Wall Plate                           | 4.91          |
| HC-013-15(4 pieces) | Concealed Vandal Short screws                                   | 4.91          |
| Hc-013-15L(4pieces) | Concealed vandal Long Screw                                     | 10.63         |