

AC POWERED FAUCETS**LIST EA.****LEAD FREE FAUCETS WITH SPECIAL FINISH(POLISHED BRASS & BRUSHED NICKEL)**

H1000CPB-LR	Lead Free Polished Brass Finish, 4" Center-Set, Non-Mixing,	508.00
H1000CBN-LR	Lead Free BRUSHED NICKEL Finish, 4" Center-Set, Non-Mixing	508.00
H1000CPB-LRDC	Lead Free Polished Brass Finish, 4" Center-Set, Non-Mixing, W/DC Backup	526.00
H1000CBN-LRDC	Lead Free BRUSHED NICKEL Finish, 4" Center-Set, Non-Mixing, W / DC Backup	526.00

LOW-LEAD FAUCETS (AC POWERED)

H-1000C-LR	Lead Free Lavatory Faucet, 4" Center-Set, Non-mixing	457.26
H-2603C-LR	Lead Free Lavatory Faucet, Non-mixing	430.90
H-2710-LR	Lead Free Lavatory Faucet, Non-mixing	436.29
H-2730-LR	Lead Free Lavatory Faucet, Non-mixing	453.82
H-4000C-LR	Lead Free Gooseneck Faucet, Mixing & Manual On/Off	603.68
H-4000C-SD-LR	Lead Free Gooseneck Faucet (Scrub Sink Version)	623.68
H-4100C/WB-LR	Lead Free Wrist Blade Handle Gooseneck Faucet, Ceramic Mixing & Manual On/Off	613.68
H-5000E-LR	Lead Free Lavatory Faucet, Above-Deck Components, Non-mixing	409.24
H-5000EM-LR	Lead Free Lavatory Faucet, Above-Deck, Mixing & Manual On/Off	457.43
H-6000C-LR	Lead Free Gooseneck Faucet, Deck Mount, Non-mixing	474.85
H-6300C-LR	Lead Free Gooseneck Faucet, Deck Mount, Non-mixing	418.74
H-6700C-LR	Lead Free Gooseneck Faucet, Wall Mount, Non-mixing	485.64
H-7000E-LR	Lead Free Lavatory Faucet, Above-Deck Components, Non-mixing	331.68
H-7000EM-LR	Lead Free Lavatory Faucet, Above-Deck, Mixing & Manual On/Off	348.68

LOW-LEAD FAUCETS (AC POWERED WITH DC BACKUP)

H-1000C-LRDC	Lead Free Lav. Faucet, 4" Center-Set, Non-mixing, w/ DC Backup	470.25
H-2603C-LRDC	Lead Free Lav. Faucet, Non-mixing, w/ DC Backup	444.90
H-4000C-LRDC	Lead Free Gsnk Faucet, Mixing & Manual On/Off, w/ DC Backup	613.68
H-4000C/WB-LRDC	Lead Free Wrist Blade Handle Gsnk Faucet, Mixing & Manual On/Off, w/ DC Backup	623.68
H-4000C-SD-LRDC	Lead Free Gsnk Faucet, w/ DC Backup (Scrub Sink Version)	633.68
H-6000C-LRDC	Lead Free Gsnk Faucet, Deck Mount, Non-mixing, w/ DC Backup	488.20
H-6700C-LRDC	Lead Free Gsnk Faucet, Wall Mount, Non-mixing, w/ DC Backup	499.64

AC POWERED FLUSH VALVES**LIST EA.****EXPOSED FLUSH VALVES (AC POWERED)**

H-8000C-A	1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud	466.52
H-8000C-B1	1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud	466.52
H-8000C-B2	1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud	466.52

EXPOSED FLUSH VALVES (AC POWERED WITH DC BACKUP)

H-8000C-ADC	1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud, w/ DC Backup	498.02
H-8000C-B1DC	1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud, w/ DC Backup	498.02
H-8000C-B2DC	1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud, w/ DC Backup	498.02

EXPOSED FLUSH VALVES (AC POWERED) - "WATER CONSERVATION MODELS"

H8-16DF	1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud	474.21
H8-128DF	1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud	474.21
H8-128	1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud	466.52
H8-B1-05	0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud	466.52
H8-B1-0125	0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud	466.52
H8-B1-025	0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud	466.52
H8-B1-0375	0.375 GPF (3/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud	466.52
H8-B2-05	0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud	466.52

EXPOSED FLUSH VALVES (AC POWERED WITH DC BACKUP) - "WATER CONSERVATION MODELS"

H8-16-DFDC	1.6 / 1.0 GPF "Dual Flush" Closet, 1" and 1-1/2", w/ DC Backup	508.00
H8-128-DFDC	1.28 / 1.0 GPF "Dual Flush" Closet, 1" and 1-1/2", w/ DC Backup	508.00
H8-128-DC	1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud, w/ DC Backup	498.02

H8-B1-05DC	0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud, w/ DC Backup	498.02
H8-B1-0125DC	0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" and 3/4", w/ DC Backup	498.02
H8-B2-05DC	0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud, w/ DC Backup	498.02

CONCEALED RETROFIT SLOAN & ZURN FLUSH VALVE WITH 5"x5" SENSOR PLATE (PLUG-IN POWER)		
H8CRFKC-C	1.6GPF(CONCEALED RETROFIT SLOAN & ZURN)	354.61
H8CRFKC-U	10GPF(CONCEALED RETROFIT SLOAN & ZURN)	354.61
H8CRFKC-16DF	1.6/1.0GPF "DUAL FLUSH"(CONCEALED RETROFIT SLOAN & ZURN)	374.68
H8CRFKC-1.28DF	1.28/1.0 GPF"DUAL FLUSH"(CONCEALED RETROFIT SLOAN & ZURN)	374.68
H8CRFKC-1.28GPF	1.28GPF(CONCEALED RETROFIT SLOAN & ZURN)	354.61
H8CRFKC-05GPF	0.5GPF(CONCEALED RETROFIT SLOAN & ZURN)	354.61
H8CRFKC-025GPF	0.25GPF(CONCEALED RETROFIT SLOAN & ZURN)	354.61
H8CRFKC-0125GPF	0125GPF (CONCEALED RETROFIT SLOAN & ZURN)	354.61

CONCEALED FLUSH VALVES (AC POWERED)		
H-8000C-CB	1.6 GPF Closet, 1" Stop and 1-1/2" Back Spud	439.71
H-8000C-D1B	1.0 GPF Urinal, 3/4" Stop and 3/4" Back Spud	439.71
H-8000C-D2B	1.0 GPF Urinal, 1" Stop and 1-1/4" Back Spud	439.71
TOP SPUD		
H-8000C-CT	1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud	466.52
H-8000C-D1T	1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud	466.52
H-8000C-D2T	1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud	466.52

CONCEALED FLUSH VALVES (AC POWERED WITH DC BACKUP)		
BACK SPUD		
H-8000C-CBDC	1.6 GPF Closet, 1" Stop and 1-1/2" Back Spud, w/ DC Backup	471.21
H-8000C-D1BDC	1.0 GPF Urinal, 3/4" Stop and 3/4" Back Spud, w/ DC Backup	471.21
H-8000C-D2BDC	1.0 GPF Urinal, 1" Stop and 1-1/4" Back Spud, w/ DC Backup	471.21
TOP SPUD		
H-8000C-CTDC	1.6 GPF Closet, 1" Stop and 1-1/2" Back Spud, w/ DC Backup	498.02
H-8000C-D1TDC	1.0 GPF Urinal, 3/4" Stop and 3/4" Back Spud, w/ DC Backup	498.02
H-8000C-D2TDC	1.0 GPF Urinal, 1" Stop and 1-1/4" Back Spud, w/ DC Backup	498.02

CONCEALED FLUSH VALVES (AC POWERED) - "WATER CONSERVATION MODELS"		
BACK SPUD		
H8CB-16DF	1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Back Spud	474.21
H8CB-128DF	1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Back Spud	474.21
H8CB-128	1.28 GPF Closet, 1" Stop and 1-1/2" Back Spud	439.71
H8D1B-05	0.5 GPF Urinal, 3/4" Stop and 3/4" Back Spud	439.71
H8D1B-025	0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud	439.71
H8D1B-0125	0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud	439.71
H8D2B-05	0.5 GPF Urinal, 1" Stop and 1-1/4" Back Spud	439.71
H8D2B-025	0.25 GPF (1/4 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud	439.71
H8D2B-0125	0.125 GPF (1/8 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud	439.71
TOP SPUD		
H8CT-16DF	1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud	498.68
H8CT-128DF	1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud	498.68
H8CT-128	1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud	466.52
H8D1T-05	0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud	466.52
H8D1T-025	0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud	466.52
H8D1T-0125	0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud	466.52
H8D2T-05	0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud	466.52
H8D2T-025	0.25 GPF (1/4 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud	466.52
H8D2T-0125	0.125 GPF (1/8 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud	466.52

CONCEALED FLUSH VALVES (AC POWERED WITH DC BACKUP) - "WATER CONSERVATION MODELS"		
BACK SPUD		
H8CB-16-DFDC	1.6 / 1.0 GPF "Dual Flush" Closet, 1" and 1-1/2", w/ DC Backup	506.38
H8CB-128-DFDC	1.28 / 1.0 GPF "Dual Flush" Closet, 1" and 1-1/2", w/ DC Backup	506.38
H8CB-128-DC	1.28 GPF Closet, 1" Stop and 1-1/2" Back Spud, w/ DC Backup	471.21

HYDROTEK PRODUCTS & PARTS

H8D1B-05-DC	0.5 GPF Urinal, 3/4" Stop and 3/4" Back Spud, w/ DC Backup	471.21
H8D1B-0125DC	0.125GPF Urinal,3/4" Stop and 3/4" Back Spud, w/DC Backup	471.21
H8D2B-05-DC	0.5 GPF Urinal, 1" Stop and 1-1/4" Back Spud, w/ DC Backup	471.21
TOP SPUD		
H8CT-16-DFDC	1.6 / 1.0 GPF "Dual Flush" Closet, 1" and 1-1/2", w/ DC Backup	520.68
H8CT-128-DFDC	1.28 / 1.0 GPF "Dual Flush" Closet, 1" and 1-1/2", w/ DC Backup	520.68
H8CT-128-DC	1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud, w/ DC Backup	508.76
H8D1T-05-DC	0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud, w/ DC Backup	508.76
H8D1T-0125-DC	0.125 GPF Urinal,3/4"Stop and 3/4" Top Spud, w/DC Backup	508.76
H8D2T-05-DC	0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud, w/ DC Backup	508.76

CONCEALED FLUSH VALVES (AC POWERED) - WITH 13" X 17" WALL BOX AND S.S. ACCESS PANEL

BACK SPUD		
H-8000C-CB-WB	1.6 GPF Closet, 1" Stop and 1-1/2" Back Spud, with Wall Box	647.68
H8CB-128-WB	1.28GPF Closet, 1" Stop and 1-1/2" Back Spoud, With Wall Box	647.68
H8CB-16DF-WB	1.6/1.0 "Dual Flush" Closet, 1" Stop and 1-1/2" Back Spud with Wall Box	676.68
H8CB-128DF-WB	1.28/1.0 "Dual Flush" Closet, 1" Stop and 1-1/2" Back Spud, With Wall Box	676.68
H-8000C-D1B-WB	1.0 GPF Urinal, 3/4" Stop and 3/4" Back Spud, with Wall Box	647.68
H8D1B-05-WB	0.5GPF Urinal,3/4" Stop and 3/4" back Spud with Wall Box	647.68
H8D1B-0125-WB	0.125GPF Urinal 3/4" Stop and 3/4" Back Spud with Wall Box	647.68
H-8000C-D2B-WB	1.0 GPF Urinal, 1" Stop and 1-1/4" Back Spud, with Wall Box	647.68
TOP SPUD		
H-8000C-CT-WB	1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud, with Wall Box	658.69
H8CT-128-WB	1.28GPF Closet,1" Stop and 1-1/2" Top Spud, with Wall Box	658.69
H8CT-16DF-WB	1.6/1.0 "Dual FLUSH" closet,1"Stop and 1-1/2" Top Spud ,with Wall Box	676.68
H8CT-128DF-WB	1.28/1.0"DUAL FLUSH", Closet,1"Stop and 1-1/2" Top Spud,with Wall Box	676.68
H-8000C-D1T-WB	1.0GPF Urinal,3/4" Stop and 3/4" Top Spud with Wall Box	658.69
H8-D1T-05-WB	0.5GPF Urianl,3/4"Stop and 3/4" Top Spud,with Wall Box	658.69
H8-D1T-0.125-WB	0.125GPF Urinal,3/4"Stop and Top Spud, with Wall Box	658.69
H-8000C-D2T-WB	1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud, with Wall Box	658.69

CONCEALED FLUSH VALVES (AC POWERED WITH DC BACKUP) - WITH 13" X 17" WALL BOX AND S.S. ACC

BACK SPUD		
H-8000C-CBWDC	1.6 GPF Closet, 1" and 1-1/2", with DC Backup and Wall Box	676.68
H8CB-128-WBDC	1.28GPF Closet, 1" Stop and 1-1/2" Back Spoud, With Wall Box	676.68
H8CB-16DF-WBDC	1.6/1.0"DUAL FLUSH",Closet 1" Stop&1-1/2"Back Spud W DC Backup Wall Bo	688.68
H8CB-128DF-WBDC1	1.28/1.0"DUAL Flush" Closet,1"Stop &1-1/2"Back Spud W DCBackup Wall Box	688.68
H-8000C-D1BWDC	1.0 GPF Urinal, 3/4" and 3/4", with DC Backup and Wall Box	676.68
H8-D1B-05-WBDC	0.5GPF Urinal,3/4" and 3/4", with DC backup and Wall Box	676.68
H8-D1B-0125-WBDC	0125GPF Urinal,3/4" and 3/4", with DC backup and Wall Box	676.68
H-8000C-D2BWDC	1.0 GPF Urinal, 1" and 1-1/4", with DC Backup and Wall Box	676.68
TOP SPUD		
H-8000C-CTWBDC	1.6 GPF Closet, 1" and 1-1/2", with DC Backup and Wall Box	688.68
H8CT-128-WBDC	1.28GPF Closet,1"and 1-1/2" with DC backup and Wall Box	688.68
H8-CT-16DFDC-WB	1.6/1.0"DUAL FLUSH"1" and 1-1/2" with DC backup and Wall Box	698.68
H8-CT-128DFDC-WB	1.28/1.0"DUAL FLUDH"1" and 1-1/2" with DC Backup and Wall Box	698.68
H-8000C-D1TWBDC	1.0 GPF Urinal, 3/4" and 3/4", with DC Backup and Wall Box	688.68
H8-D1T-05-DCWB	0.5GPF Urinal,34" and 3/4", with DC Backup and Wall Box	688.68
H8D1T-0125-DCWB	0125GPF Urinsl,3/4" and 3/4" with DC Backup and Wall Box	688.68
H-8000C-D2TWBDC	1.0 GPF Urinal, 1" and 1-1/4", with DC Backup and Wall Box	688.68

AC POWERED RETROFIT FLUSH VALVES**LIST EA.****CONCEALED FLUSH VALVE BODY ONLY**

H8CRFKC-Concealed	Unpolished Brass	227.74
-------------------	------------------	--------

EXPOSED RETROFIT FLUSH VALVES (AC POWERED)

H8RFKC-C	1.6 GPF Closet (Retrofit Sloan, Toto, and Zum)	365.14
H8RFKC-U	1.0 GPF Urinal (Retrofit Sloan, Toto, and Zum)	365.14
H8RFKC-CD	1.6 GPF Closet (Retrofit Delany)	365.14

H8RFKC-UD	1.0 GPF Urinal (Retrofit Delany)	365.14
-----------	----------------------------------	--------

AC POWERED SHOWERS**LIST EA.****AUTOMATIC SHOWER (AC POWERED)**

H-9000C	Automatic Shower	436.68
---------	------------------	--------

AUTOMATIC SHOWER (AC POWERED WITH DC BACKUP)

H-9000C-DC	Automatic Shower w/ DC Backup	450.39
------------	-------------------------------	--------

BATTERY & SOLAR POWERED FAUCETS**LIST EA.****FAUCETS 11TH SPECIAL FINISH(POLISHED BRASS & BRUSHED NICKEL)**

HB1000CPB-LR	Lead Free Polished Brass Finish, 4" Center-Set, Non-Mixing,	508.00
HB1000CBN-LR	Lead Free BRUSHED NICKEL Finish, 4" Center-Set, Non-Mixing	508.00

LOW-LEAD FAUCETS (BATTERY & SOLAR POWERED)

HB-1000C-LR	Lead Free Lavatory Faucet, 4" Center-Set, Non-mixing	457.26
HB-2603C-LR	Lead Free Lavatory Faucet, Non-mixing	430.90
HE-2710-LR	Lead Free Lavatory, with ENDURATEK®, Non-mixing	436.29
HE-2730-LR	Lead Free Wall Mount Faucet, with ENDURATEK®, Non-mixing	453.82
HB-3000C-LR	Lead Free Lavatory Faucet, Mixing & Manual On/Off	568.68
HB-4000C-LR	Lead Free Gooseneck Faucet, Mixing & Manual On/Off	603.68
HB-4000C/WB-LR	Lead Free Wrist Blade Handle Gooseneck Faucet, Mixing & Manual On/Off	613.68
HB-4000C-SD-LR	Lead Free Gooseneck Faucet (Scrub Sink Version)	623.68
HB-4100C-LR	Lead Free Gooseneck Faucet, Ceramic Mixing & Manual On/Off	471.37
HE-4100C-LR	Lead Free Goosneck, with ENDURATEK®, Mixing Manual on/off	491.37
HE-5000E-LR	Lead Free Lavatory, with ENDURATEK®, Non-mixing	427.52
HE-5000EM-LR	Lead Free Lavatory, with ENDURATEK®, Mixing Manual on/off	476.64
HB-6000C-LR	Lead Free Gooseneck Faucet, Deck Mount, Non-mixing	474.85
HE-6300C-LR	Lead Free Goosneck, with ENDURATEK®, Non-mixing	418.74
HB-6700C-LR	Lead Free Gooseneck Faucet, Wall Mount, Non-mixing	485.64
HB-7000E-LR	Lead Free Lavatory Faucet, Above-Deck, Non-mixing	331.68
HB-7000EM-LR	Lead Free Lavatory Faucet, Above Deck, Mixing & Manual On/Off	348.68
HB-7000SLE-LR	Lead Free Solar Lavatory Faucet, Above-Deck, Non-mixing	471.68
HB-7000SLEM-LR	Lead Free Solar Lavatory Faucet, Above-Deck, Mixing & Manual On/Off	485.68

BATTERY, SPECIAL FINISH & SOLAR POWERED FLUSH VALVES**LIST EA.****EXPOSED FLUSH VALVES (BATTERY POWERED)**

HB8000CPB-A	POLISHED BRASS 1.6GPF Closet, 1" and 1-1/2" Top Spud	518.68
HB8000CBN-A	BRUSHED NICKEL 1.6GPF Closet, 1" and 1-1/2" Top Spud	518.68
HB8CPB-128	POLISHED BRASS 1.28GPF Closet, 1" and 1-1/2" Top Spud	518.68
HB8CBN-128	BRUSHED NICKEL 1.28GPF Closet, 1" and 1-1/2" Top Spud	518.68
HB8CPB-128DF	POLISHED BRASS 1.28/1.0GPF Closet, 1" and 1-1/2" Top Spud	518.68
HB8CBN-128DF	BRUSHED NICKEL 1.28/1.0GPF Closet, 1" and 1-1/2" Top Spud	518.68
HB8CPB-16DF	POLISHED BRASS 1.6/1.0GPF Closet, 1" and 1-1/2" Top Spud	518.68
HB8CBN-16DF	BRUSHED NICKEL 1.6/1.0GPF Closet, 1" and 1-1/2" Top Spud	518.68
HB8000CPB-B1	POLISHED BRASS, 1.0GPF Urinal, 3/4" Stop & 3/4" Top Spud	518.68
HB8000CBN-B1	BRUSHED NICKEL, 1.0GPF Urinal, 3/4" Stop & 3/4" Top Spud.	518.68
HB8CPB-B1-05	POLISHED BRASS, 0.5GPF Urinal, 3/4" Stop & 3/4" Top Spud	518.68
HB8CBN-B1-05	BRUSHED NICKEL, 0.5 GPF Urinal, 3/4" Stop & 3/4" Top Spud.	518.68
HB8CPB-B1-025	POLISHED BRASS, 0.25GPF Urinal, 3/4" Stop & 3/4" Top Spud	518.68
HB8CBN-B1-025	BRUSHED NICKEL, 0.25 GPF Urinal, 3/4" Stop & 3/4" Top Spud.	518.68
HB8CPB-B1-0125	POLISHED BRASS, 0.125GPF Urinal, 3/4" Stop & 3/4" Top Spud	518.68
HB8CBN-B1-0125	BRUSHED NICKEL, 0.125 GPF Urinal, 3/4" Stop & 3/4" Top Spud.	518.68
HB-8000C-B1	1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud	439.09
HB-8000C-B2	1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud	439.09

HB-8000C-A	1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud	439.09
------------	---	--------

EXPOSED FLUSH VALVES (SOLAR POWERED WITH DC BACKUP)

HB-8000SLE-A	1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud	474.21
HB-8000SLE-B1	1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud	474.21
HB-8000SLE-B2	1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud	474.21

EXPOSED FLUSH VALVES (BATTERY POWERED) - "WATER CONSERVATION MODELS"

HB8-16DF	1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud	454.68
HB8-128DF	1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud	454.68
HB8-128	1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud	439.09
HB8-B1-05	0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud	439.09
HB8-B1-0375	0.375 GPF (3/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud	439.09
HB8-B1-025	0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud	439.09
HB8-B1-0125	0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud	439.09
HB8-B2-05	0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud	439.09

EXPOSED FLUSH VALVES (SOLAR POWERED WITH DC BACKUP) - "WATER CONSERVATION MODELS"

HB8SLE-16DF	1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud	474.21
HB8SLE-128DF	1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud	474.21
HB8SLE-128	1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud	474.21
HB8SLE-B1-05	0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud	474.21
HB8SLE-B1-025	0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud	474.21
HB8SLE-B1-0125	0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Top Spud	474.21
HB8SLE-B2-05	0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud	474.21

CONCEALED RETROFIT SLOAN & ZURN FLUSH VALVE WITH 5" X 5" SENSOR PLATE (BATTERY POWER)

HB8CRFKC-C	1.6GPF(CONCEALED RETROFIT SLOAN & ZURN)	354.61
HB8CRFKC-U	10GPF(CONCEALED RETROFIT SLOAN & ZURN)	354.61
HB8CRFKC-16DF	1.6/1.0GPF "DUAL FLUSH"(CONCEALED RETROFIT SLOAN & ZURN)	374.68
HB8CRFKC-1.28DF	1.28/1.0 GPF"DUAL FLUSH"(CONCEALED RETROFIT SLOAN & ZURN)	374.68
HB8CRFKC-1.28GPF	1.28GPF(CONCEALED RETROFIT SLOAN & ZURN)	354.61
HB8CRFKC-05GPF	0.5GPF(CONCEALED RETROFIT SLOAN & ZURN)	354.61
HB8CRFKC-025GPF	0.25GPF(CONCEALED RETROFIT SLOAN & ZURN)	354.61
HB8CRFKC-0125GPF	0125GPF (CONCEALED RETROFIT SLOAN & ZURN)	354.61

CONCEALED FLUSH VALVES (BATTERY POWERED) - "WATER CONSERVATION MODELS"

BACK SPUD		
HB8CB-16DF	1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Back Spud	474.21
HB8CB-128DF	1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Back Spud	474.21
HB8CB-128	1.28 GPF Closet, 1" Stop and 1-1/2" Back Spud	439.09
HB8D1B-05	0.5 GPF Urinal, 3/4" Stop and 3/4" Back Spud	439.09
HB8D1B-025	0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud	439.09
HB8D1B-0125	0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud	439.09
HB8D2B-05	0.5 GPF Urinal, 1" Stop and 1-1/4" Back Spud	439.09
HB8D2B-025	0.25 GPF (1/4 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud	439.09
HB8D2B-0125	0.125 GPF (1/8 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud	439.09
TOP SPUD		
HB-8000C-CT	1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud	466.52
HB-8000C-D1T	1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud	466.52
HB-8000C-D2T	1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud	466.52
HB8CT-16DF	1.6 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud	498.68
HB8CT-128DF	1.28 / 1.0 GPF "Dual Flush" Closet, 1" Stop and 1-1/2" Top Spud	498.68
HB8CT-128	1.28 GPF Closet, 1" Stop and 1-1/2" Top Spud	466.52
HB8D1T-05	0.5 GPF Urinal, 3/4" Stop and 3/4" Top Spud	466.52
HB8D1T-025	0.25 GPF (1/4 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud	466.52
HB8D1T-0125	0.125 GPF (1/8 Gallon per Flush) Urinal, 3/4" Stop and 3/4" Back Spud	466.52
HB8D2T-05	0.5 GPF Urinal, 1" Stop and 1-1/4" Top Spud	466.52
HB8D2T-025	0.25 GPF (1/4 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud	466.52
HB8D2T-0125	0.125 GPF (1/8 Gallon per Flush) Urinal, 1" Stop and 1-1/4" Back Spud	466.52

CONCEALED FLUSH VALVES (BATTERY POWERED) - WITH 13" X 17" WALL BOX AND S.S. ACCESS PANEL

BACK SPUD		
HB-8000C-CB-WB	1.6 GPF Closet, 1" Stop and 1-1/2" Back Spud with Wall Box	647.68
HB8CB-128-WB	1.28GPF Closet, 1" Stop and 1-1/2" Back Spoud, With Wall Box	647.68
HB8CB-16DF-WB	1.6/1.0 "Dual Flush" Closet, 1" Stop and 1-1/2" Back Spud with Wall Box	676.68
HB8128DF-WB	1.28/1.0 "Dual Flush" Closet, 1" Stop and 1-1/2" Back Spud, With Wall Box	676.68
HB-8000C-D1B-WB	1.0 GPF Urinal, 3/4" Stop and 3/4" Back Spud with Wall Box	647.68
HB8-D1B-05-WB	0.5GPF Urinal, 3/4" Stop and 3/4" Back Spud With Wall Box	647.68
HB8-D1B-0125-WB	0.125GPF Urinal,3/4" Stop and 3/4" Back Spud With Wall Box	647.68
HB-8000C-D2B-WB	1.0 GPF Urinal, 1" Stop and 1-1/4" Back Spud with Wall Box	647.68
TOP SPUD		
HB-8000C-CT-WB	1.6 GPF Closet, 1" Stop and 1-1/2" Top Spud with Wall Box	676.68
HB8CT-128-WB	1.28GPF Closet,1" Stop and 1-1/2" Top Spud, with Wall Box	676.68
HB8CT-16DF-WB	1.6/1.0 "Dual FLUSH" closet,1"Stop and 1-1/2" Top Spud ,with Wall Box	676.68
HB8CT-128DF-WB	1.28/1.0"DUAL FLUSH", Closet,1"Stop and 1-1/2" Top Spud,with Wall Box	676.68
HB-8000C-D1T-WB	1.0 GPF Urinal, 3/4" Stop and 3/4" Top Spud with Wall Box	676.68
HB8-D1T-05-WB	0.5GPF Urianl,3/4"Stop and 3/4" Top Spud,with Wall Box	676.68
HB8-D1T-0125-WB	0.125GPF Urinal,3/4"Stop and Top Spud, with Wall Box	676.68
HB-8000C-D2T-WB	1.0 GPF Urinal, 1" Stop and 1-1/4" Top Spud with Wall Box	676.68

BATTERY & SOLAR POWERED RETROFIT FLUSH VALVES**LIST EA.****RETROFIT FLUSH VALVES (BATTERY POWERED)**

HB8RFKC-C	1.6 GPF Closet (Retrofit Sloan, Toto, and Zum)	354.61
HB8RFKC-U	1.0 GPF Urinal (Retrofit Sloan, Toto, and Zum)	354.61
HB8RFKC-CD	1.6 GPF Closet (Retrofit Delany)	354.61
HB8RFKC-UD	1.0 GPF Urinal (Retrofit Delany)	354.61

RETROFIT FLUSH VALVES (SOLAR POWERED WITH DC BACKUP)

HB8RSLE-C	1.6 GPF Closet (Retrofit Sloan, Toto, and Zum)	382.98
HB8RSLE-U	1.0 GPF Urinal (Retrofit Sloan, Toto, and Zum)	382.98
HB8RSLE-CD	1.6 GPF Closet (Retrofit Delany)	382.98
HB8RSLE-UD	1.0 GPF Urinal (Retrofit Delany)	382.98

RETROFIT FLUSH VALVES (BATTERY POWERED) - "WATER CONSERVATION MODELS"

HB8-R16DF	1.6 / 1.0 GPF "Dual Flush" Closet (Retrofit Sloan, Toto, and Zum)	382.98
HB8-R128DF	1.28 / 1.0 GPF "Dual Flush" Closet (Retrofit Sloan, Toto, and Zum)	382.98
HB8-R128	1.28 GPF Closet (Retrofit Sloan, Toto, and Zum)	354.61
HB8-R05	0.5 GPF Urinal (Retrofit Sloan, Toto, and Zum)	354.61
HB8-R025	0.25 GPF (1/4 Gallon per Flush) Urinal (Retrofit Sloan, Toto, and Zum)	354.61
HB8-R0125	0.125 GPF (1/8 Gallon per Flush) Urinal (Retrofit Sloan, Toto, and Zum)	354.61
HB8-R16DFD	1.6 / 1.0 GPF "Dual Flush" Closet (Retrofit Delany)	382.98
HB8-R128DFD	1.28 / 1.0 GPF "Dual Flush" Closet (Retrofit Delany)	382.98
HB8-R128D	1.28 GPF Closet (Retrofit Delany)	354.61
HB8-R05D	0.5 GPF Urinal (Retrofit Delany)	354.61

RETROFIT FLUSH VALVES (SOLAR POWERED WITH DC BACKUP) - "WATER CONSERVATION MODELS"

HB8SLE-R16DF	1.6 / 1.0 GPF "Dual Flush" Closet (Retrofit Sloan, Toto, and Zum)	382.98
HB8SLE-R128DF	1.28 / 1.0 GPF "Dual Flush" Closet (Retrofit Sloan, Toto, and Zum)	382.98
HB8SLE-R128	1.28 GPF Closet (Retrofit Sloan, Toto, and Zum)	382.98
HB8SLE-R05	0.5 GPF Urinal (Retrofit Sloan, Toto, and Zum)	382.98
HB8SLE-R025	0.25 GPF (1/4 Gallon per Flush) Urinal (Retrofit Sloan, Toto, and Zum)	382.98
HB8SLE-R0125	0.125 GPF (1/8 Gallon per Flush) Urinal (Retrofit Sloan, Toto, and Zum)	382.98
HB8SLE-R16DFD	1.6 / 1.0 GPF "Dual Flush" Closet (Retrofit Delany)	382.98
HB8SLE-R128DFD	1.28 / 1.0 GPF "Dual Flush" Closet (Retrofit Delany)	382.98
HB8SLE-R128D	1.28 GPF Closet (Retrofit Delany)	382.98
HB8SLE-R05D	0.5 GPF Urinal (Retrofit Delany)	382.98

BATTERY POWERED SHOWERS**LIST EA.**

AUTOMATIC SHOWER (BATTERY POWERED)

HB-9000C	Automatic Shower	436.68
----------	------------------	---------------

FAUCETS - COMPONENT PARTS & ASSEMBLIES**LIST EA.****AERATOR & FLOW CONTROL**

HB-003MVR-0.35	Laminar Flow Control - 0.35 GPM - Male - Vandal Resistant	7.95
HB-003MVR-1.5	Laminar Flow Control - 1.5 GPM - Male - Vandal Resistant	7.95
HB-003AMVR	Laminar Flow Control - 0.5 GPM - Male - Vandal Resistant	7.95
HB-003AFVR	Laminar Flow Control - 0.5 GPM - Female - Vandal Resistant	7.95
HB-003BMVR	Laminar Flow Control - 1.0 GPM - Male - Vandal Resistant	7.95
HB-003CMVR	Laminar Flow Control - 2.2 GPM - Male - Vandal Resistant	8.15
HB-003DFVR	Laminar Flow Control - 2.2 GPM - Female - Vandal Resistant	8.15
HB-003EF	Laminar Flow Control - 1.5 GPM - Female	6.95
HB-003F	Laminar Flow Control - 2.0 GPM - Female	6.95
HB-003GF	Laminar Flow Control - 2.2 GPM - Female	6.95
HB-003IS 0.5-2.2GPM	Laminar Flow control Inserts, choose the flow rate from 0.5 to 2.2 GPM	2.68
HB-003M	Soft Flow Aerator - 1.5 GPM - Male	5.95
HB-003MJVR-1.0GPM	Laminar Flow Control - 1.0 GPM - Male, Junior Size, 2710 & 2730	5.95
HB-003MJVR-0.5GPM	Laminar Flow Control - 0.5 GPM - Male, Junior Size, 2710 & 2730	5.95
HB-004F	Laminar Rose Spray Flow Control - 2.2 GPM - Female	20.95
HCE-006	Aerator Connector	8.33

BATTERY & BATTERY HOLDER

HCB-001	6V DC Lithium Battery	16.55
HCC-006	AC to DC Faucet Conversion Kit	16.14
HCC-103	Battery Holder With 4 AA Batteries	13.52
HCC-103A	Battery Holder Only (for C-Series Faucets)	7.59
HCC-103B	Battery Holder For (7000)	7.59
HCC-103C	Battery Holder And Cable For (4100 & 6300)	14.68
HB7-001	Solar Cell Assembly (HB-7000SLE, SLEM)	51.64

CONTROL BOXES

HCB-003B	Stainless Steel Control Box Assembly (HB-3000,4000)	204.85
HCB-003C	Rubber Seal for S.S. Control Box	6.28
HCB-003D	Vandal Resistant Screws for S.S. Control Box	2.26
HCC-003A	Control Box Assembly (H-1000C,2603C,6000C,6700C) *Specify Model*	281.50
HCC-003B	Control Box Assembly (HB-1000C,2603C,6000C,6700C) *Specify Model*	281.50
H27-0003E	Control Box Assembly (HB-1000C,2603C,6000C,6700C) *Specify Model*	262.60
HCC-003D	Vandal Resistant Screws for C-Series Control Box	2.16
HCC-003E	Wrench for Vandal Resistant Screws (HCC-003D)	2.01
HCC-004A	Control Box Assembly with Control Module (H-3000C,4000C)	190.49
HCC-004B	Control Box Assembly with Control Module (HB-3000C,4000C)	190.49
HCC-004C	Control Box & Cover w/o Power Supply or Control Module (H/HB-3000C,4000C)	42.01

CONTROL MODULES

HC-012B	Control Module (H-2000,2603)	133.08
HC-013B	Control Module (H-3000,4000,6000,6700)	133.08
HCB-012	Control Module (HB-1000,2000,2603,3000,4000,6000,6700) *Specify model*	173.22
HCC-011A	Control Module (H-1000C,2603C,3000C,4000C,6000C,6700C) *Specify model*	167.71
HCC-011B	Control Module (HB-1000C,2603C,3000C,4000C,6000C,6700C) *Specify model*	167.71
H27-003	Control Module (HE-2710 & 2730) *Specify model*	120.49
HCE-007A	Control Module & Sensor (H-7000E/EM)	163.70
HCE-007B	Control Module & Sensor (HB-7000E/EM)	163.70
HCE-018A	Control Module & Sensor (H-5000E/EM)	187.40
HCE-018B	Control Module & Sensor & Battery Holder (HB-5000E/EM)	187.40
H41-005A	4100 Control Module & Sensor AC	163.70
HB7-004	Solar Control Module & Sensor (HB-7000SLE/SLEM)	163.70

H41-005B	4100 Control Module & Sensor Battery	163.70
----------	--------------------------------------	--------

COVER PLATES, CHROME PLATED BRASS

HC-006E	4" Cover Plate w/ Mounting Kit (H/HB-2603C,6000C,6700C)	27.26
HC-006F	8" Cover Plate w/ Mounting Kit (H/HB-2603C,6000C,6700C)	41.67
HC-006G	8" Cover Plate w/ Mounting Kit (H/HB-1000C)	41.67
HC-006H	4" Cover Plate w/ Mounting Kit (H/HB-3000C,4000C,4000C-SD)	27.26
HC-006J	8" Cover Plate w/ Mounting Kit (H/HB-3000C,4000C,4000C-SD)	41.67
HC-006K	4" Cover Plate w/ Mounting Kit (H/HB-5000E/EM,7000E/EM/SLE/SLEM,4100CL)	27.26
HC-006L	8" Cover Plate w/ Mounting Kit (H/HB-5000E/EM,7000E/EM/SLE/SLEM,4100CL)	41.67

FILTER, IN-LINE

HC-009A	In-Line Filter/Check Valve (H/HB-3000,4000;3000C,4000C,5000E/EM,7000E/EM)	43.86
HC-009B	In-Line Filter w/o Check (All except H/HB-3000(C),4000(C),5000E/EM)	32.69
HC-020	Filter Screen	4.89
HC-040	Nylon Washer for In-Line Filters	0.22
HB7-008	Diaphragm Release Valve (H/HB-7000E/EM/SLE/SLEM)	8.72

HANDLES & TEMPERATURE ADJUSTMENT ASSEMBLIES

HC-029	Wrist Blade Handle	45.61
HC-029L	Left Handle (Solenoid Cover)	31.08
HC-029R	Right Handle (Manual Control)	35.92
HC-027A	Temperature Adjuster Rod Assembly	79.13
HC-078	O-Ring Kit, Temperature Adjuster Rod Assembly	16.33
HCE-028	Temperature Adjuster Assembly (H/HB-5000EM)	51.43
HCE-029	Temperature Adjustment Handle Assembly	20.63
HCE-030	Temperature Adjuster Assembly (H/HB-7000EM/SLEM)	51.43
H41-002	Ceramic Cartridge for H4100 Hot & cold Handle	51.43

MOUNTING KITS

HC-015	Mounting Kit (H/HB-1000,1000C)	13.79
HC-015A	Mounting Kit (H/HB-2000)	12.73
HC-015B	Mounting Kit (H/HB-3000,4000;3000C,4000C)	17.79
HC-015C	Mounting Kit (H/HB-2603,6000B,6700;2603C,5000E/EM,6000C,6700C)	17.83
HC-015D	Mounting Kit (H/HB-7000E/EM/SLE/SLEM,4100CLR)	13.79

POWER ADAPTERS, SINGLE FAUCET & MULTI-UNIT PLUG-IN

HC-008A	12V DC Plug-In Adapter	41.34
HCB-008C	DC to AC Converter Kit	41.34
HCC-008B	12V DC Plug-In Adapter (C-Series)	41.34
HCE-008	7.5V DC Plug-In Adapter (H/HB-5000E/EM,7000E/EM/SLE/SLEM)	34.25
HC-010	Multi-Unit Power Adapter (8 units total)	89.25
HC-0104	Multi-Unit Power Adapter (4 units total)	63.84
HC-010E	Multi-Unit Power Adapter (H/HB-5000E/EM,7000E/EM/SLE/SLEM)	89.25
HCC-008P	Pigtail Lead with Armored Shield Cable - 24" L (C-Series)	16.98
HCE-008P	Pigtail Lead with Armored Shield Cable - 24" L (5000E/EM,7000E/EM/SLE/SLEM)	16.98

SENSOR EYES

HC-011	Sensor Eyes with PCB (H-1000)	146.39
HC-012A	Sensor Eyes and Cable (H-2000,2603,6000B,6700)	57.21
HC-013A	Sensor Eyes and Cable (H-3000,4000)	57.21
HC-014A	Sensor Eyes and Cable (H-6000B)	70.88
HC-016	Sensor Eyes w/ Control Module & Wall Cover Plate (H-9000)	175.69
HCB-011	Sensor Eyes and Cable (HB-1000)	75.92
HCB-011A	Sensor Eyes and Cable (HB-2000,2603)	75.92
HCB-011B	Sensor Eyes and Cable (HB-3000,4000)	75.92
HCB-011C	Sensor Eyes and Cable (HB-6000B)	75.92
HCB-011D	Sensor Eyes and Cable (HB-6000A,6700)	72.33
H27-004	Sensor Eyes and Cable (HE-2710 & 2730) *Specify Model*	64.35
HCB-109	Sensor Eyes w/ Control Module & Wall Cover Plate (HB-9000)	202.72

HCC-030	Sensor Eyes and Cable (H/HB-1000C)	83.73
HCC-031	Sensor Eyes and Cable (H/HB-2603C,6000C)	83.73
HCC-032	Sensor Eyes and Cable (H/HB-3000C,4000C)	83.73
HCC-033	Sensor Eyes and Cable (H/HB-6700C)	83.73
HCC-090E	Sensor Eyes and Cable Shower (H/HB-9000C)	83.73

SOLENOID VALVE - REBUILD KITS & PARTS

HC-005	Solenoid Valve (H-1000,2000,2603,6000B,6700)	87.68
HC-005A	Control Disc (for HC-005 Solenoid Valve)	16.83
HC-017A	Solenoid Valve Repair Kit (for HC-005 Solenoid Valve)	31.98
HC-017B	Solenoid Valve Repair Kit (H-3000,4000)	32.98
HC-019	Coil Module (for HC-005 Solenoid Valve)	38.68
HCB-005	Solenoid Valve (HB-1000,2000,2603,6000B,6700)	155.12
HCB-005A	Control Disc (for HCB-005 and HCC-005 Solenoid Valves)	16.83
HCB-017A	Solenoid Valve Repair Kit (1000C,2603C,6000C,6700C)	31.98
HCB-017B	Solenoid Valve Repair Kit (3000C,4000C)	32.98
HCB-019	Coil Module (for HCB-005 Solenoid Valve)	120.27
HCC-005	Complete Solenoid Valve Assembly (1000C,2603C,6000C,6700C)	171.01
H27-011	Complete Solenoid Valve Assembly (1000C,2603C,6000C,6700C)	152.07
HCC-019	Coil Module (for HCC-005 Solenoid Valve)	120.27
H27-08	Solenoid Coil & Pressure relief Valve(2710 & 2730)*Specify Model*	90.67
HCE-004	Solenoid Module, without Solenoid Coil (5000E/EM)	75.88
HCE-019	Solenoid Coil, without Solenoid Module (5000E/EM,7000E/EM/SLE/SLEM)	75.88
HCE-020	Pressure Release Valve (7000E/EM/SLE/SLEM)	38.04
H41-004	Pressure Release Valve & solenoid coil for H4100 ,6300 & 7000EM	81.68
HB7-005	Pressure Release Valve & solenoid coil for 7000E	81.68
HCE-194	Solenoid Module and Solenoid Coil (5000E/EM)	132.67
HB7-006	Solenoid Coil, without Solenoid Module (7000E/EM/SLE/SLEM)	75.88
HCE-005A	Control Disc for E Faucets	11.40
HCE-021	Mounting Nut & Washer For 5000	13.68
HCE-022	Bottom Plate Ruber Gasket For 5000	8.21

SPOUTS (FOR ALL GOOSENECK FAUCETS)

HC-007A	6" Gooseneck Spout With Laminar Flow Control	41.78
H41-001	Gooseneck Spout with Laminar Flow Control for 4100	41.78
HC-007E	6" 45-degree Swing Gsnk Spout With Laminar Flow Control	32.53
HC-007F	8" 45-degree Swing Gsnk Spout With Laminar Flow Control	39.79
HC-007G	8" Gooseneck Spout with Laminar Flow Control	52.68

SUPPLY TUBES

HC-025A	Copper Supply Tube (H/HB-1000)	18.60
HC-025B	Flexible Supply Tube (H/HB-2000,2603,6000B)	13.79
HC-025C	Flexible Supply Tube (H/HB-3000,4000;3000C,4000C,7000E/EM/SLE/SLEM)	13.79
HC-025E	Flexible Supply Tube (H/HB-6000A)	13.79
HC-025F	3/8" Rigid Copper Supply Tube (All except H/HB-6700,6700C)	4.80
HCE-026	Flexible Supply Tube (H/HB-5000E/EM)	18.39
HB7-027	Flexible Supply Tube (H/HB-7000E/EM/SLE/SLEM)	12.25

VALVES - MECHANICAL MIXING W/ CHECKS & THERMOSTATIC W/ CHECKS

HC-001-LR	Mechanical Mixing/Check Valve - 3/8" Compression	51.67
HC-002	Check Valve/Back Flow Preventor	18.04
HC-002A	Check Valve Repair Kit for HC-002 (Orange Duckbill)	5.04
HC-003	Mixing "T" with Checks	19.97
HBL-03	Thermostatic, Anti-Scald Mixing Valve - 3/8" In/Out with Checks	121.65
HBL-04-LR	Thermostatic, Anti-Scald Mixing Valve - 3/8" In/Out with Checks	155.05

FLUSH VALVES - COMPONENT PARTS & ASSEMBLIES**LIST EA.****BATTERIES & BATTERY HOLDER**

HCB-001	6V DC Lithium Battery	16.55
HCC-002	1.5V DC AA Alkaline Battery (HB8RFKC, HB-8000C) *4 req. per FV*	1.15
HCB-104	Battery Holder (HB8RFK, HB-8000)	10.44
HCC-104A	Battery Holder (HB8RFKC, HB-8000C) *2 req. per FV*	6.00

BODY & COMPONENTS

HC-088	Back Cover Nut	12.00
HC-089	Manual Push Button Assembly	43.65
HC-090	Flush Valve Body, Bare (H/HB-8000, 8000C)	192.54
HC-096	Cable/Tube with Nuts and Ferrules (H-8000, H-8000C)	22.58
HC-100	Axis with Axis Rubber (H/HB-8000)	5.86
HC-100A	Axis Rubber (for HC-100)	1.16
HCC-100	Axis (H/HB-8000C)	5.87
HCC-102	Control Disc (H/HB-8000C)	46.08

CONTROL MODULES

HCC-080A	Control Module (H-8000C) **Closet or Urinal?	167.71
HCC-080B	Control Module (HB8RFKC, HB-8000C) **Closet or Urinal?	167.71

FLUSH TUBE & VACUUM BREAKER

HC-086	Vacuum Breaker Replacement Kit (w/ rubber & friction ring)	6.13
HC-086A	Flush Tube, Closet, 1-1/2" Top Spud x 8-1/2" L w/ Vac. Breaker	14.75
HC-086A-24	Flush Tube, Closet, 1-1/2" Top Spud x 24" L w/ Vac. Breaker	37.00
HC-086B	Flush Tube, Urinal, 3/4" Top Spud x 8-1/2" L w/ Vac. Breaker	14.75
HC-086B-24	Flush Tube, Urinal, 3/4" Top Spud x 24" L w/ Vac. Breaker	37.00
HC-086C	Flush Tube, Urinal, 1-1/4" Top Spud x 8-1/2" L w/ Vac. Breaker	14.75
HC-086SRPS	Split Ring Pipe Support	31.63

NIPPLE, STOP VALVES

HC-083	Delany Adapter Nipple 2-1/4" L (HB8RFK, HB8RFKC)	21.22
HC-083-1.75	Delany Adapter Nipple 1-3/4" L (HB8RFK, HB8RFKC)	23.35
HC-083-2.75	Delany Adapter Nipple 2-3/4" L (HB8RFK, HB8RFKC)	23.35
HC-083-3.25	Delany Adapter Nipple 3-1/4" L (HB8RFK, HB8RFKC)	25.48
HC-083-3.75	Delany Adapter Nipple 3-3/4" L (HB8RFK, HB8RFKC)	27.59
HC-083-4.25	Delany Adapter Nipple 4-1/4" L (HB8RFK, HB8RFKC)	29.72
HC-083A	Nipple - Standard 2-1/8" L (all Flush Valve Models)	16.40
HC-083B	Nipple - Standard 2-1/2" L (all Flush Valve Models)	16.40
HC-083C	Nipple - Standard 2-7/8" L (all Flush Valve Models)	16.40
HC-083D	Nipple - Standard 3-1/2" L (all Flush Valve Models)	17.40
HC-083E	Nipple - Standard 4" L (all Flush Valve Models)	19.33
HC-083F	Nipple - Standard 4-1/2" L (all Flush Valve Models)	21.63
HC-083G	Nipple - Standard 5" L (all Flush Valve Models)	23.39
HC-083H	Nipple - Standard 5-1/2" L (all Flush Valve Models)	25.75
HC-083J	Nipple - Standard 6" L (all Flush Valve Models)	28.30
HC-083K	Nipple - Standard 1-1/2" L (all Flush Valve Models)	12.75

POWER ADAPTER

HCC-008C	Plug-In Power Adapter without Output Plug (H-8000C)	38.58
----------	---	-------

SECURITY SCREWS (FOR HB8RFKC & H/HB-8000C)

HCC-085A	Security Screws for Top Cap (Pkg. of 10)	14.86
HCC-085B	Security Screw Wrench	2.13

SENSOR EYES

HC-080	Sensor Eyes & Control Module Assembly (H-8000) **Closet or Urinal?	153.65
HCB-080	Sensor Eyes & Control Module Assembly (HB-8000) **Closet or Urinal?	165.30
HCC-080E	Sensor Eye & Cable (HB8RFKC, H/HB-8000C)	71.67

SOLENOID VALVE / VALVE PARTS / REPAIR KITS

HC-087	Valve Seat, Solenoid (H-8000)	52.64
--------	-------------------------------	-------

HC-098	Coil Module, Solenoid (H-8000)	43.68
HC-106	Repair Kit, Solenoid Valve (H-8000)	41.68
HCB-087	Valve Seat, Solenoid (HB-8000)	52.64
HCB-098	Coil Module, Solenoid (HB-8000)	120.27
HCB-106	Repair Kit, Solenoid Valve (HB-8000)	41.68
HCB-106 AMC	Repair Kit, Solenoid Valve (HB-8000)	41.68
HCC-087	Valve Seat, Solenoid (HB8RFKC, H/HB-8000C)	52.64
HCC-098	Solenoid Coil Module (HB8RFKC, H/HB-8000C)	120.27
HCC-106	Repair Kit, Solenoid Valve (HB8RFKC, H/HB-8000C)	41.68

STOP VALVE, ANGLE

HC-082A	Angle Stop - 3/4"	41.13
HC-082B	Angle Stop - 1"	41.13
HC-082C	Repair Kit - Angle Stop Valve	8.36

SWEAT KIT

HC-084	Sweat Kit - 3/4"	12.71
HC-084F	METAL FLANGE 3/4" CP W/SET SCREW	12.71
HC-084B	Sweat Kit - 1"	14.50
HC-084F	METAL FLANGE 1" CP W/SET SCREW	12.71

TOP CAP & TOP CAP ASSEMBLY

HC-081	Top Cap Nut Assembly (HB8RFKC, H/HB-8000)	40.76
HC-085	Chrome Plated Top Cap Cover (H-8000)	32.26
HC-092A	Top Cap Assembly (H-8000)	275.75
HCC-088A	Chrome Plated Top Cap (H-8000C)	48.37
HCC-088B	Chrome Plated Top Cap (HB8RFKC, HB-8000C)	38.72
HCC-085F	AC Input Tube Flange with Set Screws (C-Series)	11.81
HCC-085T	AC Input Tube (C-Series)	12.58
HCC-092B	Top Cap Assem. (HB8RFKC, H/HB-8000C) <i>**Flow rate? AC/Batt?</i>	255.68
HCC-092SLE	Solar Top Cap Conversion Kit (HB8RFKC, H/HB-8000C)	224.56

TOP SPUD ASSEMBLY

HC-093A	3/4"	10.73
HC-093B	1-1/4"	10.73
HC-093C	1-1/2"	10.73

TRAP PRIMER

HC-086D	Trap Primer Assembly with Vacuum Breaker (11-1/2" Rough In)	69.90
---------	---	-------

WALL BOX

HC-200	Wall Box with Access Panel for Concealed Flush Valve	242.00
--------	--	--------

WALL PLATE

HCC-080C	7" x 7" Wall Plate without Button (for Concealed Urinal)	260.60
HCC-080CVRB	7" x 7" Wall Plate with Button (for Concealed Closet)	285.14
HCC-009PP	7" x 7" Wall Plate without Sensor Eye & Cable (Shower)	16.89
HCC-009C	7" x 7" Wall Plate with Sensor Eye & Cable (Shower)	118.68
HC-080C	7" x 7" Wall Plate with Sensor Module for H-8000 for DC Airport	169.83
HCC-008PP	5" x 5" Wall Plate	13.38
HCC-008PE	5" x 5" Wall Plate With Sensor Eye	101.20
PC-011-04B	Old Style Green Button for Wall Plate	4.91
HC-013-15(4 pieces)	Concealed Vandal Short screws	4.91
Hc-013-15L(4pieces)	Concealed vandal Long Screw	10.63